

## 11 Literatur

- Abramson, D., Goad, L.J. und Goodwin, T.W., 1973. Triterpenes and sterols of *Buxus sempervirens* and local variations in their levels. *Phytochemistry* 12, 2211-2216.
- Andersen, N., 1995. Biogeochemische Charakterisierung von Sinkstoffen und Sedimenten aus ostatlantischen Produktionssystemen mit Hilfe von Biomarkern. Doktorarbeit, Universität Bremen, Bremen.
- Berger, A. und Loutre, M.F., 1991. Insolation values for the climate of the last 10 million years. *Quaternary Science Reviews* 10, 297-317.
- Berger, W.H., 1989. Global maps of ocean productivity. In: W.H. Berger et al. (Hrsg.) *Productivity of the Oceans: Present and Past*. Wiley, New York. 429-455.
- Berner, R.A. und Raiswell, R., 1983. Burial of organic carbon and pyrite sulfur in sediments over Phanerozoic time: A new theory. *Geochimica et Cosmochimica Acta* 47, 855-862.
- Bird, M.I., Summons, R.E., Gagan, M.K., Roksandic, Z., Dowling, L., Head, J., Fifield, L.K., Cresswell, R.G. und Johnson, D.P., 1995. Terrestrial vegetation change inferred from *n*-alkane  $\delta^{13}\text{C}$  analysis in the marine environment. *Geochimica et Cosmochimica Acta* 59, 2853-2857.
- Bonnefille, R., Riollet, G., Buchet, G., Icole, M., Lafont, R., Arnold, M. und Jolly, D., 1995. Glacial/interglacial record from intertropical Africa, high resolution pollen and carbon data at Rusaka, Burundi. *Quaternary Science Review* 14, 917-936.
- Boon, J.J., Rijpstra, W.I.C., de Lange, F. und de Leeuw, J.W., 1979. Black Sea sterol - a molecular fossil for dinoflagellate blooms. *Nature* 277, 125-127.
- Boon, J.J., van der Meer, F.W., Schuyl, P.J.W., de Leeuw, J.W., Schenck, P.A. und Burlingame, A.L., 1978. 1. Organic geochemical analysis of core samples from site 362 Walvis Ridge, DSDP Leg 40. In: H.M. Bolli und R. W.B.F. (Hrsg.) *Initial Reports of the Deep Sea Drilling Project, Vols. 38, 39, 40, and 41, Supplement, Walvis Ridge DSDP Leg 40*. U.S. Government Printing Office, Washington, D.C. 627-637.
- Brassell, S.C., 1993. Applications of biomarkers for delineating marine paleoclimatic fluctuations during the Pleistocene. In: M.H. Engel und S.A. Macko (Hrsg.) *Organic Geochemistry*. Plenum Press, New York. 699-738.
- Brassell, S.C., Eglinton, G., Marlowe, I.T., Pflaumann, U. und Sarnthein, M., 1986. Molecular stratigraphy: A new tool for climatic assessment. *Nature* 320, 129-133.
- Brumsack, H.-J., 1988. Rezente,  $\text{C}_{\text{org}}$ -reiche Sedimente als Schlüssel zum Verständnis fossiler Schwarzschiefer. Habilitationsschrift, Georg-August Universität, Göttingen.
- Cameron, N., Bate, R., Clure, V. und Smith, D., 1999. The oil and gas habitats of the South Atlantic.
- Caratini, C. und Giresse, P., 1979. Contribution palynologique à la connaissance des environnements continentaux et marins du Congo à la fin du Quaternaire. *C.R. Acad. Sci., Paris* 288, 379-382.

- Collister, J.W., Rieley, G., Stern, B., Eglinton, G. und Fry, B., 1994. Compound-specific  $\delta^{13}\text{C}$  analyses of leaf lipids from plants with differing carbon dioxide metabolisms. *Organic Geochemistry* 21, 619-627.
- Cranwell, P.A., 1973. Chain-length distribution of *n*-alkanes from lake sediments in relation to postglacial environments. *Freshwater Biology* 3, 259-265.
- Cranwell, P.A., 1985. Long-chain unsaturated ketones in recent lacustrine sediments. *Geochimica et Cosmochimica Acta* 49, 1545-1551.
- de Leeuw, J.W., Rijpstra, W.I.C. und Mur, L.R., 1992. The absence of long-chain alkyl diols and alkyl keto-1-ols in cultures of cyanobacterium *Aphanizemon flos-aquae*. *Organic Geochemistry* 18, 575-578.
- de Leeuw, J.W., Rijpstra, W.I.C. und Schenck, P.A., 1981. The occurrence and identification of  $\text{C}_{30}$ ,  $\text{C}_{31}$  and  $\text{C}_{32}$  alkan-1,15-diols and alkan-15-one-1-ols in Unit I and Unit II Black Sea sediments. *Geochimica et Cosmochimica Acta* 45, 2281-2285.
- de Leeuw, J.W., van der Meer, F.W., Rijpstra, W.I.C. und Schenck, P.A., 1980. On the occurrence and structural identification of long chain unsaturated ketones and hydrocarbons in sediments. In: A.G. Douglas und J.R. Maxwell (Hrsg.) *Advances in Organic Geochemistry 1979*. Pergamon Press, Oxford, 211-217.
- deMenocal, P.B., 1993. Influences of high- and low-latitude processes on African terrestrial climate: Pleistocene eolian records from equatorial Atlantic Ocean Drilling Program Site 663. *Paleoceanography* 8, 209-242.
- deMenocal, P.B. und Rind, D., 1993. Sensitivity of Asian and African climate to variations in seasonal insolation, glacial ice cover, sea surface temperature, and Asian orography. *Journal of Geophysical Research* 98, 7265-7287.
- Diercke, 1988. *Weltatlas*. Westermann, Braunschweig.
- Droxler, A.W., Ferro, E.C., Mucciarone, D.A. und Haddad, G.A., 1996. Simultaneous barrier reef establishment, carbonate bank expansion, and sea floor carbonate dissolution in low latitudes during interglacial stage 11: Case of basin shelf carbonate fractionation? *Proceedings AGU Fall Meeting, Supplement to EOS, transactions, AGU V 77, n 46, F427*.
- Dupont, L., Schneider, R., Schmäser, A. und Jahns, S., 1999. Marine-terrestrial interaction of climate changes in West Equatorial Africa over the last 190,000 years. *Palaeoecology of Africa* 26, 61-84.
- Dupont, L.M., 1999. Pollen and spores in marine sediments from the East Atlantic - A view from the ocean into the African continent. In: G. Fischer und G. Wefer (Hrsg.) *Use of Proxies in Paleoceanography: Examples from the South Atlantic*. Springer, Berlin. 523-546.
- Dupont, L.M., Donner, B., Jahn, B., Schneider, R. und Wefer, G., in Vorbereitung. Changes in the terrestrial input in the lower Congo Basin between 1.5 and 0.5 Ma (ODP Sites 1075 and 1077).
- Eglinton, G. und Hamilton, R.J., 1967. Leaf epicuticular waxes. *Science* 156, 1322-1335.
- Ekweozor, C.M. und Udo, O.T., 1988. The oleananes: Origin, maturation and limits of occurrence in Southern Nigeria sedimentary basins. *Organic Geochemistry* 13, 131-140.
- Fischer, G. und Wefer, G., 1999. *Use of Proxies in Paleoceanography: Examples from the South Atlantic*, Berlin, Springer, p. 735.

- Fontugne, M.R. und Duplessy, J.-C., 1981. Organic carbon isotopic fractionation by marine plankton in the temperature range -1 to 31°C. *Oceanologica Acta* 4, 85-90.
- Gagosian, R.B. und Heinzer, F., 1979. Stenols and stanols in the oxic and anoxic waters of the Black Sea. *Geochimica et Cosmochimica Acta* 43, 471-486.
- Gagosian, R.B. und Nigrelli, G.E., 1979. The transport and budget of sterols in the western North Atlantic Ocean. *Limnology and Oceanography* 24, 838-849.
- Gagosian, R.B. und Peltzer, E.T., 1986. The importance of atmospheric input of terrestrial organic matter to deep sea sediments. In: D. Leythaeuser und J. Rullkötter (Hrsg.) *Advances in Organic Geochemistry 1985*. Pergamon Press, Oxford, 661-669.
- Gagosian, R.B., Peltzer, E.T. und Merrill, J.T., 1987. Long-range transport of terrestrially derived lipids in aerosols from the South Pacific. *Nature* 325, 800-803.
- Gagosian, R.B., Peltzer, E.T. und Zafiriou, O.C., 1981. Atmospheric transport of continentally derived lipids to the tropical North Pacific. *Nature* 291, 312-314.
- Gagosian, R.B., Volkman, J.K. und Nigrelli, G.E., 1983. The use of sediment traps to determine sterol sources in coastal sediments off Peru. In: M. Bjørøy und et al. (Hrsg.) *Advances in Organic Geochemistry 1981*. Wiley, Chichester. 369-379.
- Gebhardt, S., 2000. Biomarkerindikatoren in Tiefseesedimenten aus dem Angola-Becken (ODP Leg 175). Diplomarbeit, Universität Oldenburg, Oldenburg.
- Ghosh, A., Misra, S., Dutta, A.K. und Choudhury, A., 1985. Pentacyclic triterpenoids and sterols from seven species of mangrove. *Phytochemistry* 24, 1725-1727.
- Güntner, U., 1997. Hinweise auf klimatische und ozeanographische Verhältnisse am kalifornischen Kontinentalrand während der letzten 150000 Jahre aus Biomarkeranalysen an Sedimenten der ODP-Bohrung 1018A. Diplomarbeit, Universität Oldenburg, Oldenburg.
- Harvey, H.R., O'Hara, S.C.M., Eglinton, G. und Corner, E.D.S., 1989. The comparative fate of dinosterol and cholesterol in copepod feeding: Implications for a conservative molecular biomarker in the marine water column. *Organic Geochemistry* 14, 635-641.
- Haxeltine, A. und Prentice, I.C., 1996. BIOME3: An equilibrium terrestrial biosphere model based on ecophysiological constraints, resource availability, and competition among functional types. *Global Biogeochemical Cycles* 10, 693-709.
- Hayes, J.M., 1993. Factors controlling <sup>13</sup>C contents of sedimentary organic compounds: Principles and evidence. *Marine Geology* 113, 111-125.
- Hentschel, E., 1936. Allgemeine Biologie des Südatlantischen Ozeans. In: A. Defant (Hrsg.) *Wissenschaftliche Ergebnisse der Deutschen Atlantischen Expedition auf dem Forschungs- und Vermessungsschiff "METEOR" 1925-1927*. Walter de Gruyter & Co., Berlin. 344.
- Hinrichs, K.-U., 1997. Ausgewählte Lipide in den Sedimenten des Santa Barbara-Beckens und des Amazonas-Fächers: Zeugnis spätquartärer Paläoumweltbedingungen. Doktorarbeit, Universität Oldenburg, Oldenburg.
- Hinrichs, K.-U., Schneider, R.R., Müller, P.J. und Rullkötter, J., 1999. A biomarker perspective on paleoproductivity variations in two Late Quaternary sediment

- sections from the Southeast Atlantic Ocean. *Organic Geochemistry* 30, 341-366.
- Hodell, D.A., 1993. Late Pleistocene paleoceanography of the South Atlantic sector of the Southern Ocean: Ocean Drilling Program Hole 704A. *Paleoceanography* 8, 47-67.
- Hoelzmann, P., Jolly, D., Harrison, S.P., Laarif, F., Bonnefille, R. und Pachur, H.-J., 1998. Mid-Holocene land-surface conditions in northern Africa and the Arabian peninsula: A data set for the analysis of biogeophysical feedbacks in the climate system. *Global Biogeochemical Cycles* 12, 35-51.
- Hovland, M. und Judd, A.D., 1988. *Seabed Pockmarks and Seapages*. Graham & Trotman, San Diego.
- Howard, W.R. und Prell, W.L., 1992. Late Quaternary surface circulation of the southern Indian Ocean and its relationship to orbital variability. *Paleoceanography* 7, 43-54.
- Huang, Y., Dupont, L., Sarnthein, M., Hayes, J.M. und Eglinton, G., 2000. Mapping of C<sub>4</sub> plant input from North West Africa into North East Atlantic sediments. *Geochimica et Cosmochimica Acta*, im Druck.
- Itoh, T., Tani, H., Fukushima, K., Tamura, T. und Matsumoto, T., 1982. Structure-retention relationship of sterols and triterpene alcohols in gas chromatography on a glass capillary column. *Journal of Chromatography* 234, 65-76.
- Jahn, B., Donner, B., Müller, P.J., Röhl, U., Schneider, R.R. und Wefer, G., 1999. Environmental changes in the Benguela upwelling for the last 1.5 My (ODP Leg 175, Site 1082 A). Abstracts, Kolloquium des DFG-Schwerpunktprogramms "DSDP/ODP", 3.-5. März 1999, Bremerhaven. .
- Jansen, J.H.F., 1985. Middle and Late Quaternary carbonate production and dissolution, and paleoceanography of the eastern Angola Basin, South Atlantic Ocean. In: K.J. Hsü und H.J. Weissert (Hrsg.) *South Atlantic Paleocyanography*. University Press, Cambridge. 25-46.
- Jansen, J.H.F. und van Iperen, J.M., 1991. A 220,000-year climatic record for the east equatorial Atlantic ocean and equatorial Africa: Evidence from diatoms and opal phytoliths in the Zaire (Congo) deep-sea fan. *Paleoceanography* 6, 573-591.
- Jansen, J.H.F., van Weering, T.C.E., Gieles, R. und van Iperen, J., 1984. Middle and Late Quaternary oceanography and climatology of the Zaire-Congo fan and the adjacent Angola Basin. *Netherlands Journal of Sea Research* 17, 201-249.
- Jasper, J.P. und Hayes, J.M., 1990. A carbon isotope record of CO<sub>2</sub> levels during the late Quaternary. *Nature* 347, 462-464.
- Johns, R.B., Brady, B.A., Butler, M.S., Dembitsky, V.M. und Smith, J.D., 1994. Organic geochemical and geochemical studies of Inner Great Barrier Reef sediments - IV. Identification of terrigenous and marine source inputs. *Organic Geochemistry* 21, 1027-1035.
- Jørgensen, B.B., 1983. . In: B. Bolin und R.B. Cook (Hrsg.) *The Major Biogeochemical Cycles*. Wiley, Chichester.
- Koch, B.P., Rullkötter, J. und Lará, R.J., eingereicht. Germanicol as a biomarker for organic matter derived from *Rhizophora mangle* in a mangrove area in northern Brazil. *Wetlands Ecology and Management*.

- Kolattukudy, P.E., 1976. *Chemistry and Biochemistry of Natural Waxes*. Elsevier, Amsterdam.
- Lee, C. und Wakeham, S.C., 1989. Organic matter in seawater: Biogeochemical processes. *Chemical Oceanography* 9, 1-51.
- Littke, R., Lückge, A. und Welte, D.H., 1997. Quantification of organic matter degradation by microbial sulphate reduction for Quaternary sediments from the northern Arabian Sea. *Naturwissenschaften* 84, 312-315.
- Mackenzie, A.S., Brassell, S.C., Eglinton, G. und Maxwell, J.R., 1982. Chemical fossils: The geological fate of steroids. *Science* 217, 491-504.
- Mariotti, A., Gadel, F., Giresse, P. und Kinga-Mouzeo, 1991. Carbon isotope composition and geochemistry of particulate organic matter in the Congo River (Central Africa): Application to the study of Quaternary sediments off the mouth of the river. *Chemical Geology (Isotope Geoscience Section)* 86, 345-357.
- Marlowe, I.T., Brassell, S.C., Eglinton, G. und Green, J.C., 1984. Long chain unsaturated ketones and esters in living algae and marine sediments. *Organic Geochemistry* 6, 135-141.
- Martin, J.-M. und Meybeck, M., 1979. Elemental mass-balance of material carried by major world rivers. *Marine Chemistry* 7, 173-206.
- Mello, M.R., Mohriak, W.U., Koutsoukos, E.A.M. und Figueira, J.C.A., 1991. Brazilian and west African oils: Generation, migration, accumulation and correlation. *Proceedings Thirteenth World Petroleum Congress, Buenos Aires*. 1-12.
- Mikkelsen, N., 1984. Diatoms in the Zaire deep-sea fan and Pleistocene paleoclimatic trends in the Angola Basin and west equatorial Africa. *Netherlands Journal of Sea Research* 17, 280-292.
- Morley, J.J., 1989. Variations in high-latitude oceanographic fronts in the southern Indian ocean: an estimation based on faunal changes. *Paleoceanography* 4, 547-554.
- Morris, R.J. und Brassell, S.C., 1988. Long-chain alkanediols: Biological markers for cyanobacterial contributions to sediments. *Lipids* 23, 256-258.
- Müller, P.J., Čeppek, M., Ruhland, G. und Schneider, R.R., 1997. Alkenone and coccolithophorid species changes in the late Quaternary sediments from the Walvis ridge: Implications for the alkenone paleotemperature method. *Palaeogeography, Palaeoclimatology, Palaeoecology* 135, 71-96.
- Müller, P.J., Kirst, G., Ruhland, G., von Storch, I. und Rosell-Melé, A., 1998. Calibration of the alkenone paleotemperature index  $U^k_{37}$  based on core-tops from the eastern South Atlantic and the global ocean (60°N-60°S). *Geochimica et Cosmochimica Acta* 62, 1757-1772.
- Müller, P.J., Schneider, R. und Ruhland, G., 1994. Late Quaternary  $pCO_2$  variations in the Angola Current: Evidence from organic carbon  $\delta^{13}C$  and alkenone temperatures. In: R. Zahn et al. (Hrsg.) *Nato ASI Series, Carbon Cycling in the Glacial Ocean: Constraints on the Ocean's Role in Global Change*, 117. Springer-Verlag, Berlin Heidelberg.
- Muzuka, A.N.N., 1999. Isotopic compositions of tropical East African flora and their potential as source indicators of organic matter in coastal marine sediments. *Journal of African Earth Sciences* 28, 757-766.
- Nakatsuka, T., Handa, N., Wada, E. und Wong, C.S., 1992. The dynamic changes of stable isotopic ratios of carbon and nitroge in suspended and sedimented

- particulate organic matter during a phytoplankton bloom. *Journal of Marine Research* 50, 267-296.
- Nichols, P.D. und Johns, R.B., 1985. Lipids of the tropical seagrass *Thalassia hemprichii*. *Phytochemistry* 24, 81-84.
- Oppo, D.W., Fairbanks, R.G. und Gordon, A.L., 1990. Late Pleistocene Southern Ocean  $\delta^{13}\text{C}$  variability. *Paleoceanography* 5, 43-54.
- Pant, P. und Rastogi, R.P., 1979. The triterpenoids. *Phytochemistry* 18, 1095-1108.
- Pérez, M.E. und Berger, W.H., 2000. Late Quaternary productivity fluctuations in the Mid-Angola Basin: Evidence from benthic foraminifera. Poster, Workshop on Quaternary evolution of the Benguela Upwelling System, 19.-21. Mai 2000, Carcans, France.
- Peters, K.E. und Moldowan, J.M., 1993. The Biomarker guide. Interpreting molecular fossils in petroleum and ancient sediments. Prentice Hall, Englewood Cliffs, New Jersey, USA.
- Peterson, R.G. und Stramma, L., 1991. Upper-level circulation in the South Atlantic ocean. *Progress in Oceanography* 26, 1-73.
- Pingitore, N.E. und Eastman, M.E., 1985. Barium partitioning during the transformation of corals from aragonite to calcite. *Chemical Geology* 48, 183-187.
- Poynter, J.G., 1989. Molecular stratigraphy: The recognition of palaeoclimatic signals in organic geochemical data. Ph.D. Thesis, University of Bristol, Bristol.
- Poynter, J.G., Farrimond, P., Robinson, N. und Eglinton, G., 1989. Aeolian-derived higher plants lipids in the marine sedimentary record: Links with palaeoclimate. In: M. Leinen und M. Sarnthein (Hrsg.) *Paleoclimatology and Paleometeorology: Modern and Past Patterns of Global Atmospheric Transport*. Kluwer Academic Press, Dordrecht. 435-462.
- Prahl, F.G., Muehlhausen, L.A. und Zahnle, D.L., 1988. Further evaluation of long-chain alkenones as indicators of paleoceanographic conditions. *Geochimica et Cosmochimica Acta*, 2303-2310.
- Radke, M., Willsch, H. und Welte, D.H., 1980. Preparative hydrocarbon group type determination by automated medium pressure liquid chromatography. *Analytical Chemistry* 52, 406-411.
- Raymo, M.E., Oppo, D.W. und Curry, W., 1997. The mid-Pleistocene climate transition: A deep sea carbon isotopic perspective. *Paleoceanography* 12, 546-559.
- Raymo, M.E., Ruddiman, W.F., Shackleton, N.J. und Oppo, D.W., 1990. Evolution of global ice volume and Atlantic-Pacific  $\delta^{13}\text{C}$  gradients over the last 2.5 M.Y. *Earth and Planetary Science Letters* 97, 353-368.
- Rechka, J.A. und Maxwell, J.R., 1988. Characterization of alkenone temperature indicators in sediments and organisms. *Organic Geochemistry* 13, 727-734.
- Rieley, G., Collister, J.W., Stern, B. und Eglinton, G., 1993. Gas chromatography/isotope ratio mass spectrometry of leaf wax *n*-alkanes from plants of differing carbon dioxide metabolisms. *Rapid Communications in Mass Spectrometry* 7, 488-491.
- Rinna, J., Güntner, U., Hinrichs, K.-U., Mangelsdorf, K., van der Smissen, J.H. und Rullkötter, J., 2000. Temperature-related molecular proxies: Degree of alkenone unsaturation and average chain length of *n*-alkanes. In: G.J. West und L. Buffaloe (Hrsg.) *Proceedings 16th Annual Pacific Climate (PACLIM)*

- Workshop, Interagency Ecology Program, Technical Support 65, State of California, Department of Water Resources, Sacramento, CA. 183-192.
- Robinson, N., Eglinton, G., Brassell, S.C. und Cranwell, P.A., 1984. Dinoflagellate origin for sedimentary 4 $\alpha$ -methylsteroids and 5 $\alpha$ (H)-stanols. *Nature* 308, 439-442.
- Rosell-Melé, A., 1998. Project takes a new look at past sea surface temperatures. *EOS, transactions, AGU* 79, 393-394.
- Rosell-Melé, A., Bard, E., Grimalt, J.O., Harrison, I., Bouloubassi, I., Comes, P., Emeis, K.-C., Epstein, B., Fahl, K., Farrimond, P., Fluegge, A., Freeman, K.H., Goni, M., Güntner, U., Hartz, D., Hellebust, S., Herbert, T., Ikehara, M., Ishiwatari, R., Kawamura, K., Kenig, F., de Leeuw, J.W., Lehman, S., Müller, P., Ohkouchi, N., Pancost, R., Prahl, F., Quinn, J., Rontani, J.-F., Rostek, F., Rullkötter, J., Sachs, J., Sanders, S., Sawada, K., Schneider, R.R., Schulz-Bull, D., Sikes, E., Ternois, Y., Versteegh, G., Volkman, J. und Wakeham, S., 1999. Outcome of the first world-wide laboratory intercomparison of the UK<sup>37</sup> index and the quantification of absolute alkenone abundances in sediment samples. Abstracts, 19th International Meeting on Organic Geochemistry 6.-10. September 1999, Istanbul. 267-268.
- Rosell-Melé, A., Carter, J.F., Parry, A.T. und Eglinton, G., 1995. Determination of the UK<sup>37</sup> index in geological samples. *Analytical Chemistry* 67, 1283-1289.
- Rühlemann, C., Müller, P.J. und Schneider, R.R., 1999. Organic carbon and carbonate as paleoproductivity proxies: Examples from high and low productivity areas of the tropical Atlantic. In: G. Fischer und G. Wefer (Hrsg.) *Use of Proxies in Paleoceanography*. Springer, Berlin.
- Sackett, W.M., 1989. Stable carbon isotope studies on organic matter in the marine environment. In: P. Fritz und J.C. Fontes (Hrsg.) *Handbook of Environmental Isotope Geochemistry*. Elsevier, Amsterdam. 139-169.
- Schefuß, E., Versteegh, G.J.M., Pancost, R.D., Jansen, J.H.F. und Sinninghe Damsté, J.S., 1999. Mid-Pleistocene changes in biomarker composition of Congo fan sediments: Climatic implications. Abstracts 19th International Meeting on Organic Geochemistry 6.-10. September, Istanbul.
- Schell, I.I., 1968. On the relation between the winds off southwest Africa and the Benguela current and Agulhas current penetration in the South Atlantic. *Deutsche Hydrographische Zeitschrift* 21, 109-117.
- Schneider, R., 1991. Spätquartäre Produktivitätsänderungen im östlichen Angola-Becken: Reaktion auf Variationen im Passat-Monsun-Windsystem und in der Advektion des Benguela-Küstenstroms. Doktorarbeit, Universität Bremen, Bremen.
- Schneider, R.R., Müller, P.J. und Ruhland, G., 1995. Late Quaternary surface circulation in the east equatorial South Atlantic: Evidence from alkenone sea surface temperatures. *Paleoceanography* 10, 197-219.
- Schneider, R.R., Müller, P.J., Ruhland, G., Meinecke, G., Schmidt, H. und Wefer, G., 1996. Late Quaternary surface temperatures and productivity in the east-equatorial South Atlantic: Response to changes in trade/monsoon wind forcing and surface water advection. In: G. Wefer et al. (Hrsg.) *The South Atlantic: Present and Past Circulation*. Springer-Verlag, Berlin. 527-551.
- Schouten, S., Klein Berteler, W.C.M., Blokker, P., Schogt, N., Rijpstra, W.I.C., Grice, K., Baas, M. und Sinninghe Damsté, J.S., 1998. Biosynthetic effects on the

- stable carbon isotopic compositions of algal lipids: Implications for deciphering the carbon isotopic biomarker record. *Geochimica et Cosmochimica Acta* 62, 1397-1406.
- Schwartz, D., Mariotti, A., Lanfranchi, R. und Guillet, B., 1986.  $^{13}\text{C}/^{12}\text{C}$  ratios of soil organic matter as indicators of vegetation changes in the Congo. *Geoderma*, 39, 79-103
- Seifert, W.K. und Moldowan, J.M., 1979. The effect of thermal stress on source-rock quality as measured by hopane stereochemistry. *Physics and Chemistry of the Earth* 12, 229-237.
- Shannon, L.V. und Nelson, G., 1996. The Benguela: Large scale features and processes and system variability. In: G. Wefer et al. (Hrsg.) *The South Atlantic: Present and Past Circulation*. Springer-Verlag, Berlin Heidelberg. 163-210.
- Shannon, L.V. und Pillar, S.C., 1986. The Benguela Ecosystem, III, Plankton. *Oceanogr. Marine Biology* 24.
- Simoneit, B.R.T., Chester, R. und Eglinton, G., 1977. Biogenic lipids in particulates from the lower atmosphere over the eastern Atlantic. *Nature* 267, 682-685.
- Smith, D.J., Eglinton, G., Morris, R.J. und Poutanen, E.L., 1982. Aspects of the steroid geochemistry of a recent diatomaceous sediment from the Namibian shelf. *Oceanologica Acta* 5, 365-378.
- Summerhayes, C.P., Kroon, D., Rosell-Melé, A., Jordan, R.W., Schrader, H.-J., Hearn, R., Villanueva, J., Grimalt, J.O. und Eglinton, G., 1995. Variability in the Benguela current upwelling system over the past 70,000 years. *Progress in Oceanography* 35, 27-251.
- Tomas, C.R., 1997, *Identifying Marine Phytoplankton*, San Diego, Academic Press.
- Tzedakis, R.C., Andrieu, V., de Beaulieu, J.L., Crowhurst, S., Follieri, M., Hooghiemstra, H., Magri, D., Reilee, M., Sadori, L., Shackleton, N.J. und Wijmstra, T.A., 1997. Comparison of terrestrial and marine records of changing climate of the last 500,000 years. *Earth and Planetary Science Letters* 150, 171-176.
- van Bennekom, A.J. und Berger, G.W., 1984. Hydrography and silica budget of the Angola Basin. *Netherlands Journal of Sea Research* 17, 149-200.
- Versteegh, G.J.M., Bosch, H.-J. und de Leeuw, J.W., 1997. Potential palaeoenvironmental information of  $\text{C}_{24}$  to  $\text{C}_{36}$  mid-chain diols, ketols and mid-chain hydroxy fatty acids; a critical review. *Organic Geochemistry* 27, 1-13.
- Versteegh, G.J.M., Jansen, J.H.F., de Leeuw, J.W. und Schneider, R.R., 2000. Mid-chain diols and keto-ols in SE Atlantic sediments: A new tool for tracing past sea surface water masses? *Geochimica et Cosmochimica Acta* 64, 1879-1892.
- Volkman, J.K., 1986. A review of sterol markers for marine and terrigenous organic matter. *Organic Geochemistry* 9, 83-99.
- Volkman, J.K., Barrett, S.M., Blackburn, S.I. und Sikes, E.I., 1995. Alkenones in *Gephyrocapsa oceanica*: Implications for studies of paleoclimate. *Geochimica et Cosmochimica Acta* 59, 513-520.
- Volkman, J.K., Barrett, S.M., Dunstan, G.A. und Jeffrey, S.W., 1992.  $\text{C}_{30}$ - $\text{C}_{32}$  alkyl diols and unsaturated alcohols in microalgae of the class Eustigmatophyceae. *Organic Geochemistry* 18, 131-138.

- Volkman, J.K., Barrett, S.M., Dunstan, G.A. und Jeffrey, S.W., 1993. Geochemical significance of the occurrence of dinosterol and other 4-methyl sterols in a marine diatom. *Organic Geochemistry* 20, 7-15.
- Volkman, J.K., Eglinton, G., Corner, E.D.S. und Forsberg, T.E.V., 1980. Long-chain alkenes and alkenones in the marine coccolithophorid *Emiliania huxleyi*. *Phytochemistry* 19, 2619-2622.
- Wagner, T., 1998. Pliocene-Pleistocene deposition of carbonate and organic carbon at Site 959: Paleoenvironmental implications for the eastern equatorial Atlantic off the Ivory Coast/Ghana. In: J. Mascle et al. (Hrsg.) *Proceedings of the Ocean Drilling Program, Scientific Results*, 159. College Station, TX (Ocean Drilling Program). 557-574.
- Wagner, T., 1999. Petrology of organic matter in modern and late Quaternary deposits of the Equatorial Atlantic: Climatic and oceanographic links. *International Journal of Coal Geology* 39, 155-184.
- Wagner, T., 2000. Control of organic carbon accumulation in the Late Quaternary equatorial Atlantic (Ocean Drilling Program Sites 664 and 663): Productivity versus terrigenous supply. *Paleoceanography* 15, 181-199.
- Wagner, T. und Dupont, L.M., 1999. Terrestrial organic matter in marine sediments: Analytical approaches and eolian-marine records in the central equatorial Atlantic. In: G. Fischer und G. Wefer (Hrsg.) *Use of Proxies in Paleoclimatology: Examples from the South Atlantic*. Springer-Verlag, Berlin Heidelberg. 547-574.
- Wakeham, S.G., 1989. Reduction of stenols to stanols in particulate organic matter at oxic-anoxic boundaries in sea water. *Nature* 342, 787-790.
- Wannigama, G.P., Volkman, J.K., Gillan, F.T., Nichols, P.D. und Johns, R.B., 1981. A comparison of lipid components of the fresh and dead leaves and pneumatophores of the mangrove *Avicennia marina*. *Phytochemistry* 20, 659-666.
- Wedepohl, K.H., 1991. Chemical composition and fractionation of the continental crust. *Geologische Rundschau* 80, 207-223.
- Wefer, G., Berger, W.H. und Richter, C., et al., 1998. *Proceedings of the Ocean Drilling Program, Initial Reports*, . College Station, TX (Ocean Drilling Program).
- Wefer, G., Berger, W.H., Siedler, G. und Webb, D.J., 1996, *The South Atlantic: Present and Past Circulation*, Berlin, Springer, p. 644.
- Wehausen, R., 1999. *Anorganische Geochemie zyklischer Sedimente aus dem östlichen Mittelmeer: Rekonstruktionen der Paläoumweltbedingungen*. Doktorarbeit, Universität Oldenburg, Oldenburg.
- Westerhausen, L., Poynter, J., Eglinton, G., Erlenkeuser, H. und Sarthein, M., 1993. Marine and terrigenous origin of organic matter in modern sediments of the east Atlantic: The  $\delta^{13}\text{C}$  and molecular record. *Deep-Sea Research I* 40, 1087-1121.
- Wilkens, H., 1997. *Lipide in spätquartären Sedimenten aus dem Bereich des Benguela-Stroms im Südatlantik*. Diplomarbeit, Universität Oldenburg, Oldenburg.
- Zachariasse, W.J., Schmidt, R.R. und van Leeuwen, R.J.W., 1984. Distribution of foraminifera and calcareous nannoplankton in Quaternary sediments of the eastern Angola Basin in response to climatic and oceanic fluctuations. *Netherlands Journal of Sea Research* 17, 250-275.

Zegouagh, Y., Derenne, S., Largeau, C., Bardoux, G. und Mariotti, A., 1998. Organic matter sources and early diagenetic alterations in Arctic surface sediments (Lena River and Laptev Sea, Eastern Siberia), II. Molecular and isotopic studies fo hydrocarbons. *Organic Geochemistry* 28, 571-583.