

References

1. Ahmad, Z. B. and Dyer, A. (1984): Ion-exchange in Ferrierte, a natural zeolite. In Naden, D. and Streat, M. :Ion Exchange Technology. Society of Chemical Industry. England. pp.519-532.
2. Albino, V., Cioffi, R. and Colella, C. (1995): Disposal of lead-containing zeolite sludge in cement matrix, Environmental technology, Vol. 16., pp. 147-156.
3. Allen, E. R. and Ming, D. W. (1995): Recent progress in the use of natural zeolites in agronomy and horticulture: In Natural Zeolites '93, D.W. Ming and F.A. Mumpton, eds., Int. Comm. Natural Zeolites, Brockport, New York, pp. 477-490.
4. Amicarelli, V., Baldassarre, G., Boghetich, G., Liberti, L. and Limoni, N. (1988): Use of Italian zeolites for deammoniation of municipal wastewater. 2nd International Conference on Environment Protection, S. Angelo, Ischia (Na) Italy (personal contact with L. Liberti), pp. 2.A-75-81.
5. Amicarelli, V. and Liberti, L. (1991): Zeolite ammonia removal at Manfredonia municipal plant: In Atti I° Convegno Nazionale di Scienza e Tecnologie delle Zeoliti, C.Colella ed., L'Aquila, (personal contact with L. Liberti)
6. Axente, D., Abrudean, M. and Baldea, A. (1983): Adsorption on Romanian natural Clinoptilolite. Zeolite, Vol. 3, pp. 259-260.
7. Bannyan, H. (1990): The inadequacy of stabilization ponds treatment as manifested by the effects of khirbet es-Samra effluent on the ground water quality of the surrounding area: In Water Pollution in Jordan, E. Salameh, ed., Friedrich Ebert Stiftung. Jordan
8. Barbarick, K. A. and Pirela, H. J. (1984): Agronomic and horticultural uses of zeolites: A Review: In Zeo-Agriculture, use of natural zeolites in agriculture and aquaculture, W. G. Pond and F. A. Mumpton, eds., Westview Press, Boulder, Colorado, pp. 93-105.
9. Barrer, R. M. and Munday, B. M. (1971): Cation exchange reactions of a sedimentary Phillipsite. J. Chem. Soc., pp. 2904-2909.
10. Bayerischen Landesanstalt für Wasserforschung (1989): Aktuelle Probleme des Gewässerschutzes: Nährstoffbelastung und-elimination, Oldenbourg Verlag, München.
11. Bish, D. L. (1984): Effects of exchangeable cation composition on the thermal expansion / contraction of Clinoptilolite. Clays and Clay Minerals, Vol. 32, No. 6, pp. 444-452.
12. Black, J. A. (1977 Water pollution technology, Reston publishing Company, Reston, Virginia.
13. Blanchard, G., Maunaye, M., and Martin, G. (1984): Removal of heavy metals from waters by means of natural zeolites. Water Research, Vol. 18, No. 12., pp. 1501-1507.

References

14. Breck, D. W. (1974): Zeolite molecular sieves.. John Wiley and Sons.
15. Brown, J. and Ray, N, J. (1984): Ion Exchange in Water Purification, Where do we Stand?. In Naden, D. and Streat, M. : Ion Exchange Technology. Society of Chemical Industry. England. pp. 14-24.
16. Burriesci, N., Valente, S., Zipelli, C. and Bart, J. C. J. (1984): Studies on zeolites in agriculture. Effect on crop growth of *Prunus persica* and *Vitis vinifera*. Zeolites, Vol. 4, pp. 373-376.
17. Calligaris, M. and Nardin, G. (1982): Cation site location in hydrated Chabazites. crystal structure of barium- and cadmium- exchanged Chabazites. Zeolites, Vol. 2, pp. 200- 204.
18. Ciambelli, P., Corbo, P., Porcelli, C., and Rimoli, A. (1985): Ammonia removal from wastewater by natural zeolites. I. Ammonium Ion Exchange Properties of an Italian Phillipsite Tuff. Zeolites, Vol. 5, May, pp. 185-212.
19. Ciambelli, P., Corbo, P., Liberti, L., Lopez, A., and Porcelli, C. (1985): Ammonia removal from municipal water by Phillipsite. In Drzaj, B., Hocevar, S. and Pejovnik, S., : Zeolites: Synthesis, Structure, Technology and Application. Elsevier Science.
20. Ciambelli, P., Corbo, P., Lumare, F. and Porcelli, C. (1984): Ammonium ion exchange with Phillipsite tuff in relation to aquacultural systems: Use of natural zeolites in agriculture and aquaculture, W. G. Pond and F. A. Mumpton, eds., Westview Press, Boulder, Colorado, pp. 245-253.
21. Cioffi, R., Colella, C., Marroccooli, M., Pansini, M. and Valenti G. L. (1991): Stabilisation of Cr^{3+} -loaded zeolite tuffs in cement matrix. Reprinted from: Proc. Int. Conf. On Heavy Metals in the Environment, J. G. Farmer Edt., Vol. 2, Edinburgh 1991, (Personal Communication with Colella).
22. Cioffi, R., Pansini, M., Caputo, D. and Colella, C. (1996): Evaluation of mechanical and leaching properties of cement-based solidified materials encapsulating Cd-exchanged natural zeolites. Environmental Technology, Vol. 17., pp. 1215-1224.
23. Colella, C. (1995): Use of Italian Chabazite and Phillipsite for the removal of heavy metals from wastewater: a review: In Natural Zeolites '93, D.W. Ming and F.A. Mumpton, eds., Int. Comm. Natural Zeolites, Brockport, New York, pp. 363-376.
24. Colella, C. (1996): Ion exchange equilibria in natural zeolites. Mineralium Deposita, Vol. 31, pp. 554-562.
25. Colella, C. and Pansini, M. (1988): Lead Removal from Wastewaters using Chabazite Tuff. ACS Symposium Series 368, Flank, W. H. and Whyte, Jr. T edition. Perspectives in Molecular Sieve Science, chapter 32, Washington, DC. pp. 500-510.

References

26. Colella, C., Aiello, R. and Nastro, A. (1984): Evaluation of Phillipsite tuff for the removal of ammonia from aquacultural wastewaters: In *Zeo-Agriculture, use of natural zeolites in agriculture and aquaculture*, W. G. Pond and F. A. Mumpton, eds., Westview Press, Boulder, Colorado, pp. 239-245.
27. Colella, C., DE'Gennaro, M., Langella, A. and Pansini, M. (1995): Cadmium removal from wastewaters using Chabazite and Phillipsite: In *Natural Zeolites '93*, D.W. Ming and F.A. Mumpton, eds., Int. Comm. Natural Zeolites, Brockport, New York, pp. 377-384.
28. De`Gennaro, M. and Colella, C. (1989): Use of Thermal Analysis for the Evaluation of Zeolite Content in Mixtures of Hydrated Phases. *Thermochimica Acta*, Vol. 154, pp. 345-353.
29. Deutsche Gesellschaft for Technische Zusammenarbeit –GTZ- (1984): *Abwassertechnologie*. Springer-Verlag, Berlin.
30. Dorfner, K.(1990): *Ion exchangers*. Walter de Gruyter, Berlin
31. Dwairi, I. M. (1991): Evaluation of Jordanian Phillipsite tuff in removal of ammonia from wastewater: Experimental study, *Al-Balqa Journal*, vol. 1, pp. 53-66.
32. Dwairi, I. M. (1992): Jordanian zeolites: Evaluation for possible industrial application of natural Aritain Phillipsite tuffs, *Dirasat*, Vol. 18 B, No. 1, pp. 23-44.
33. Dwairi, I. M. (1993): Removal of ammonium from water using Phillipsite tuff from North-eastern Jordan: An evaluation study, *Mu'tah Journal for Research and Studies*, Vol. 8, no. 4., pp. 7-22.
34. Dwairi, I. M. (1998): Evaluation of Jordanian zeolite tuff as a controlled slow-release fertiliser for NH_4^+ , *Environmental Geology*, Vol. 34, no. 1, pp. 1-4.
35. Dwairi, I. M. (1998): Renewable, controlled and environmentally safe phosphorus release in soils from mixtures of NH_4^+ -phillipsite tuff and phosphate rocks, *Environmental Geology*, Vol. 34, No. 4, pp. 293-296.
36. Dwairi, I. M: (1998): Conserving toxic ammoniacal nitrogen in manure using natural zeolite: A comparative study, *Bull. Environ. Contam. Toxicol.* Vol. 60, pp. 126-133.
37. Dyer, A. and Zubair, M. (1998): Ion Exchange in Chabazite. *Microporous and Mesoporous Materials*, Vol. 22, pp. 135-150.
38. Dyer, A. and Faghihian, H. (1998): Diffusion in Heteroionic Zeolites: Part 1. Diffusion of Water in Heterionic Natrolites. *Microporous and Mesoporous Materials*, Vol. 21, pp. 27-38.
39. Dyer, A. and Faghihian, H. (1998): Diffusion in Heteroionic Zeolites: Part 2. Diffusion of Water in Heterionic Stilbites. *Microporous and Mesoporous Materials*, Vol. 21, pp. 39-44.

References

40. Eberl, D. D., Barbarick, K. A. and Lai, T. M: (1995): Influence of NH₄-exchanged clinoptilolite on nutrient concentrations in Sorgham-Sudangrass: : In Natural Zeolites '93, D.W. Ming and F.A. Mumpton, eds., Int. Comm. Natural Zeolites, Brockport, New York, pp. 491-504.
41. Eraifej, N. and Abu-Jaber, N. (1999): Geochemistry and pollution of shallow aquifers in the Mafraq area, North Jordan. *Environmental Geology*, Vol. 37, No. 1-2, pp.162-170.
42. Eyde, T. H. (1993): Using zeolites in recovery of heavy metals from mining effluents. EPD Congress, The minerals, metals and materials society, (Personal communication with the GSA Resources, Inc, USA).
43. Fangmeier, A., Hadwiger-Fangmeier, A., Van der Eerden, L. and Jäger, H. (1994): Effects of atmospheric ammonia on vegetation-A review. *Environmental Pollution*, Vol. 86, pp. 43-82.
44. Flanigen, E. M. (1984): Adsorption properties of molecular sieve zeolites: In *Zeo-Agriculture, use of natural zeolites in agriculture and aquaculture*, W. G. Pond and F. A. Mumpton, eds., Westview Press, Boulder, Colorado, pp. 55-69.
45. Flank, W. H. (1977): Properties of synthesised, ion-exchanged, and stabilised zeolite Rho. ACS Symposium Series 40. Katzer, James. edi. *Molecular Sieve II*. pp. 43-52.
46. Fletcher, P. and Townsend, R. (1982): Exchange of Ammonium and Sodium Ions in Synthetic Faujasites. *J. Chem. Soc., Farady Trans. I*, Vol. 78, pp. 1741-1753.
47. Forman, D. (1991): Nitrate exposure and human cancer: In *Nitrate Contamination: Exposure, Consequence and Control*, I. Bogardi, R. Kuzelka and W. Ennenga, eds., Springer-Verlag, Berlin, pp. 281-288.
48. Förstner, U. and Wittmann, G. (1981): *Metal pollution in the aquatic environment*. Springer-Verlag Heidelberg, Germany.
49. Gal, I. J. and Radovanov, P. (1975): Ion exchange of synthetic 13X zeolite with Ni²⁺, Co²⁺, Zn²⁺ and Cd²⁺ Ions. *J. of Chem. Society., Farady Trans. I* 71, pp. 1671-1677.
50. Gharaibeh, S. and Rawajfih, Z. (1989): Abwasserbehandlung und Energieverbrauch in Jordanien, Fallstudie für Entwicklungsländer. *Wasserwirtschaft*, Vol. 79, No. 9, pp. 458-463.
51. Gottardi, G. (1978): Mineralogy and crystal chemistry of zeolites: in *Natural Zeolites: Occurrence, Properties, Use*, L. B. Sand and F. A. Mumpton, eds., Pergamon Press, Elmsford, New York, pp. 31-44.
52. Gottardi, G. and Galli, E. (1985): *Natural zeolites*, Springer-Verlag, Berlin Heidelberg.

References

53. Hawkins, D. B. (1984): Occurrence and availability of natural zeolites: Zeo-Agriculture, use of natural zeolites in agriculture and aquaculture, W. G. Pond and F. A. Mumpton, eds., Westview Press, Boulder, Colorado, pp. 69-79.
54. Hayhurst, D. T. (1978): The potential use of natural zeolites for ammonia removal during coal-gasification: : In Natural Zeolites: Occurrence, Properties, Use, L. B. Sand and F. A. Mumpton, eds., Pergamon Press, Elmsford, New York, pp. 503-508.
55. Hernandez, J. E. G., Martin, M. M. G., Pino, J. S. N. and Rodriguez, C. D. A. (1992): Treatment of wastewater effluents with Phillipsite rich tuffs. Environmental Pollution, Vol. 76, pp. 219-223.
56. Hertenberg, E. P. (1983): Use of zeolite NaA for removal of trace heavy metals from metal plating wastewater. In: Olson, D. and Bisio, A.(1983) : Proceedings of the Sixth International Zeolite Conference.
57. Hiller, F. (1987): Die Batterie und die Umwelt, Expert Verlag, Germany.
58. Himsley, A. and Bennett, J. A. (1984): A New Continuous Packed-Bed Ion Exchange System Applied to Treatment of Mine Water: In Naden, D. and Streat, M. :Ion Exchange Technology. Society of Chemical Industry. England. pp.144-152.
59. Hlavay, J., Vigh, G., Olaszi, V. and Inczedy, J. (1982): Investigations on natural Hungarian zeolite for ammonia removal, Water Res., Vol. 16, pp. 417-420.
60. Hlavay, J., Vigh, G., Olaszi, V. and Inczedy, J. (1983): Ammonia and iron removal from drinking water with Clinoptilolite tuff. zeolites, Vol. 3, pp. 17-19.
61. Howden, M. and Pilot, J. (1984): The choice of ion exchanger for British nuclear fuels Ltd's Site ion exchange effluent plant: In Naden, D. and Streat, M. : Ion Exchange Technology. Society of Chemical Industry. England. pp.66-73.
62. Hulbert, M. H. (1987): Sodium, calcium, and ammonium exchange on Clinoptilolite from the Fort Laclede deposit. Sweetwater county, Wyoming. Clays and Clay Minerals, Vol. 35, No. 6, pp. 458-462.
63. James, R. and Sampath, K. (1999): Effect of zeolite on the reduction of cadmium toxicity in water and a freshwater fish, *Oreochromis mossambicus*. Bull. Environ. Contam. Toxicol. Vol. 62, pp. 222-229.
64. Jing, J. and Logan, T. (1992): Heavy metals in the environment. J. Environ. Qual. Vol. 21. Pp. 73-81.
65. Jorgensen, S. E. and Barkacs, K. (1976): Ammonia removal by use of Clinoptilolite. Water Research, Vol. 10, pp. 213-224.

References

66. Kallo, D. (1995): Wastewater purification in Hungary using natural zeolites: : In Natural Zeolites '93, D.W. Ming and F.A. Mumpton, eds., Int. Comm. Natural Zeolites, Brockport, New York, pp. 341-350.
67. Kayabali, K. and Kezer, H. (1998): Testing the ability of Bentonite-amended natural zeolite (Clinoptilolite) to remove heavy metals from liquid waste. *Environmental Geology*, Vol. 34, No. 2/3, pp. 95-102.
68. Kayser, R. (1987): Biologische Stickstoff- und Phosphor-elimination in Abwasserreinigungsanlagen Veröffentlichungen des Institutes für Stadtbauwesen (Heft 42), Technische Universität Braunschweig.
69. Kithome, M., Paul, J. W., Lavkulich, L. M. and Bomke, A. A. (1998): Kinetics of ammonium adsorption and desorption by the natural zeolite Clinoptilolite. *Soil Sci. Am. J.*, vol. 62, pp. 622-629.
70. Klieve, J.R. and Semmens, M.J. (1980): An evaluation of pretreated natural zeolites for ammonium removal. *Water Research*, Vol. 14, pp. 161-168.
71. Knowlton, G. D. and White, T. R. (1981): Thermal study of types of water associated with Clinoptilolite. *Clays and Clay Minerals*, Vol. 29, No. 5, pp. 403-411.
72. Komarneni, S. (1985): Phillipsite in Cs decontamination and immobilizaion, *Calys and clay minerals*, Vol. 33, No. 2, pp. 145-151.
73. Koon, J. H. and Kaufman, W. J. (1975): Ammonia removal from municipal wastewaters by ion exchange. *WPCF.*, Vol. 47, No. 3., pp. 449-465.
74. Kugelman, I. J. (1976): Status of advanced waste treatment: in *Handbook of Water Resources and Pollution Control*. H. W. Gehr and J. I. Bregman, eds., Litton Educational Publishing. Pp. 593-633.
75. Lai, T. and Eberl, D. (1986): Controlled and renewable release of phosphorous in soils from mixtures of phosphate rock and NH₄-exchanged clinoptilolite. zeolites, Vol. 6, pp. 129-132.
76. Leithe, W. (1974): Die Analyse der Luft und ihrer Verunreinigungen in der freien Atmosphäre und am Arbeitsplatz, Wissenschaftliche Verlagsgesellschaft, Stuttgart, Germany.
77. Lewis, M. D., Moore, F. D. and Goldsberry, K. L. (1984): Ammonium-exchanged Clinoptilolite and granulated Clinoptilolite with urea as nitrogen fertilisers: In *Zeo-Agriculture, use of natural zeolites in agriculture and aquaculture*, W. G. Pond and F. A. Mumpton, eds., Westview Press, Boulder, Colorado, pp. 105-112.

References

78. Liberti, L., Boari G., and Passino R. (1979): Phosphates and ammonia recovery from secondary effluents by selective ion exchange with production of a slow-release fertiliser. *Water Research*, Vol. 13, pp 65-73.
79. Liberti, L., Boari, G., Petruzzelli, D., and Passino, R., (1981): Nutrient removal and recovery from wastewater by ion exchange. *Water Research*, Vol. 15, pp. 337-342.
80. Liberti, L., Limoni, N., Longobardi, C., Lopez, A., Passino, R., Kang, S. J. and Horvatin, P. J. (1988): Field demonstrations of the Rim-Nut process for nutrients recovery from municipal wastewater. *Nuclear and Chemical waste Management*. Vol. 8. Pp. 83-86.
81. Liberti, L., Lopez, A., Amicarelli, V. and Boghetich, G. (1995): Pollution-abatement technologies by natural zeolites: The Rim-Nut process: : In *Natural Zeolites '93*, D.W. Ming and F.A. Mumpton, eds., Int. Comm. Natural Zeolites, Brockport, New York, pp. 351-362.
82. Loizidou, M., and Townsend, R., P. (1987): Ion exchange properties of natural Clinoptilolite, Ferrierite and Mordenite: Part 2. Lead-Sodium and Lead-Ammonium Equilibria. *Zeolites*, Vol. 7, March, pp. 153-159.
83. Loizidou, M., and Townsend, R., P. (1987): Exchange of cadmium into the sodium and ammonium forms of the natural zeolites Clinoptilolite, Mordenite, and Ferrierite. *J. Chem. Soc., Dalton Trans.*, pp. 1911-1916.
84. Loizidou, M. and Townsend, R. P. (1987): Ion-exchange properties of natural Clinoptilolite, Ferrierite and Mordenite: Part 2. Lead-sodium and lead-ammonium equilibria. *Zeolites*, vol. 7, March, pp. 153-159.
85. Lopez, A. and Liberti, L. (1991): Zeolites "closed-loop" regeneration. *Proc.I Convegno Naz. Di Scienza e Tecnologia delle Zeoliti*, C. Colella eds., Napoli, pp. 139-146 (Personal communication with L. Liberti).
86. Martinola, F. and Siegers, G. (1984): Experience Data with lift-bed and rinse-bed processes. In *Naden, D. and Streat, M. :Ion Exchange Technology*. Society of Chemical Industry. England. pp.127-137.
87. Meier, W. M., Olson, D. H. and Baerlocher, Ch. (1996): Atlas of zeolite structure types. The Structure Commission of the International Zeolite Association.
88. Mercer, B. W. and Ames, L. L. (1978): Zeolite ion exchange in radioactive and municipal wastewater treatment: : In *Natural Zeolites: Occurrence, Properties, Use*, L. B. Sand and F. A. Mumpton, eds., Pergamon Press, Elmsford, New York, pp. 451-462.
89. Minato, H. (1985): Chemical treatment of natural zeolites, and properties and utilisation of the reacted materials. In *Drzaj, B., Hocevar, S. and Pejovnik, S., : Zeolites: Synthesis, Structure, Technology and Application*. Elsevier Science. pp. 513-522.

References

90. Ming, D. W. and Dixon, J. (1987): Quantitative determination of Clinoptilolite in soils by a cation-exchange capacity method. *Clays and Clay Minerals*, Vol. 35, No. 6, pp. 463-468.
91. Ming, D. W., Barta, D. J., Golden, D. C., Galindo, C. and Henninger, D. L. (1995): Zeoponic plant-growth substrates for space applications: : in *Natural Zeolites '93*, D.W. Ming and F.A. Mumpton, eds., Int. Comm. Natural Zeolites, Brockport, New York, pp. 505-514.
92. Mirvish, S. S. (1991): The significance for human health of nitrate, nitrite and N-nitroso compounds: In *Nitrate Contamination: Exposure, Consequence and Control*, I. Bogardi, R. Kuzelka and W. Ennenga, eds., Springer-Verlag, Berlin, pp. 253-266..
93. Mirvish, S. S. (1977): N-nitroso compounds, nitrite and nitrate: Possible implications for the causation of human cancer. *Prog. Wat. Tech.* Vol. 8, pp. 195-207.
94. Möbius, Ch. H. (1980): Adsorption and ion exchange processes for treatment of white water and wastewater of Paper-Mills. *Prog. Wat. Tech.*, Vol. 12, pp. 681-695.
95. Moore, J. W. (1991): *Inorganic contaminants of surface water: Research and monitoring priorities*, Springer Verlag, New York.
96. Mumpton, F. A. (1978): Natural zeolites: a new industrial mineral commodity: in *Natural Zeolites: Occurrence, Properties, Use*, L. B. Sand and F. A. Mumpton, eds., Pergamon Press, Elmsford, New York, pp. 3-29.
97. Mumpton, F. A. and Clayton Ormsby, W. (1978): Morphology of zeolites in sedimentary rocks by scanning electron microscopy: in *Natural Zeolites: Occurrence, Properties, Use*, L. B. Sand and F. A. Mumpton, eds., Pergamon Press, Elmsford, New York, pp. 113-133.
98. Mumpton, F. A. (1984): Natural zeolites: In *Zeo-Agriculture: Use of natural zeolites in agriculture and aquaculture*, W. G. Pond and F. A. Mumpton, eds., Westview Press, Boulder, Colorado, pp. 33-45.
99. Murphy, C. O., Hrycyke, O. and Gleason, W. T. (1978): Natural zeolites: Novel uses and regeneration in wastewater treatment: : In *Natural Zeolites: Occurrence, Properties, Use*, L. B. Sand and F. A. Mumpton, eds., Pergamon Press, Elmsford, New York, pp. 471-478.
100. Nicholas Hewitt, C., Metcalfe, P. J., and Street, R. A. (1991): A Method for the sampling and removal of ionic alkyllead compounds from aqueous solution using ion exchange media. *Water Research*, Vol. 25, No. 1, pp. 91-94.
101. O'Connor, J., F. and Townsend, R., B. (1984): Exchange of lead (II) ions in synthetic Faujasitic zeolites: The Effect of Framework Charge. *Zeolites*, Vol. 5, May, pp. 159-164.
102. Organisation for economic co-operation and development (1986): *Water pollution by fertilisers and pesticides*, OECD, France.

References

103. Ottewill, R. H., Rochester, C. H. and Smith, A. L. (1983): Adsorption from solution. Academic Press. London.
104. Pansinni, M and Colella, C (1989): Lead pollution control by zeolite, *Materials engineering*, Vol. 1, no. 2, pp. 623-630.
105. Pansinni, M and Colella, C (1990): Dynamic data on lead uptake from water by Chabazite. *Desalination*, Vol. 78, pp. 287-295.
106. Pansini, M. (1996): Natural zeolites as cation exchangers for environment protection. *Mineralium deposita*, vol. 31, pp. 563-575.
107. Pansini, M., Colella, C., Caputo, D., De'Gennaro, M. and Langella, A. (1996): Evaluation of Phillipsite as cation exchanger in lead removal from water. *Microporous Materials*, vol. 5, pp. 357-364.
108. Park, M and Komarneni, S. (1998): Ammonium nitrate occlusion vs. Nitrate ion exchange in natural zeolites, *Soil Sci. Soc. Am. J.* Vol. 62, pp. 1455-1459.
109. Patterson, J. W. (1975): *Wastewater treatment technology*, Ann Arbor Science Publishers, Michigan.
110. Pereira, L. S. and Quelhas dos Santos, J. (1991): Fertiliser and water application, and control of nitrate pollution: management issue: In *Nitrate Contamination: Exposure, Consequence and Control*, I. Bogardi, R. Kuzelka and W. Ennenga, eds., Springer-Verlag, Berlin, pp. 141-159.
111. Peterson, D. (1981): Influence of presorbed water on the sorption of nitrogen by zeolites at ambient temperatures, *Zeolites*, Vol. 1, pp.105-112.
112. Piper, R. G. and Smith, C. E. (1984): Use of Clinoptilolite for ammonia removal in fish culture systems: Use of natural zeolites in agriculture and aquaculture, W. G. Pond and F. A. Mumpton, eds., Westview Press, Boulder, Colorado, pp. 223-229.
113. Preußmann, R. (1982): Nitrosaminbedingte Cancerogenese: In *Nitrat-Nitrit-Nitrosamine in Gewässern*, DFG, Verlagsgesellschaft, Weinheim, Germany.
114. Roberts, P., Hegi, H. R., Weber, A. and Krähenbühl, H. R. (1977): Metals in municipal wastewater and their elimination in sewage treatment. *Prog. Wat. Tech.* Vol. 8, No. 6, pp. 301-306.
115. Rodriguez, G. R., Sanchez, C. L., Romero, J. C. and Malherbe, R. R. (1985): Cuban natural zeolites: Morphological studies by electron microscopy. In Drzaj, B., Hocevar, S. and Pejovnik, S., : *Zeolites: Synthesis, Structure, Technology and Application*. Elsevier Science. pp. 375-384..

References

116. Ronald Miner, J. (1984): Use of natural zeolites in the treatment of animal wastes: In *Zeo-Agriculture, use of natural zeolites in agriculture and aquaculture*, W. G. Pond and F. A. Mumpton, eds., Westview Press, Boulder, Colorado, pp. 257-263.
117. Ruffer, H. and Rosenwinkel, K. (1991): *Taschenbuch der Industrieabwasserreinigung*. Oldenburger Verlag Münschen.
118. Rykl, D. and Pechar, F. (1991): Thermal decomposition of natural Phillipsite, *Zeolites*, Vol. 11, pp. 680-683.
119. Salameh, E. (1987): The potential of surface water utilisation for domestic purposes in Jordan, *International Journal of Environmental Studies*, Vol. 28, pp. 291-300.
120. Semmens, M. J. (1984): Cation-exchange properties of natural zeolites: In *Zeo-Agriculture, use of natural zeolites in agriculture and aquaculture*, W. G. Pond and F. A. Mumpton, eds., Westview Press, Boulder, Colorado, pp. 45-55.
121. Semmens, M. J. and Goodrich, R. R. (1977): Biological regeneration of ammonium-saturated Clinoptilolite. I. Initial observations. *Environmental Science and Technology*, Vol. 11, No. 3, pp. 255-259.
122. Semmens, M. J., Wang, J. T. and Booth, A. C. (1977): Biological regeneration of ammonium-saturated Clinoptilolite. II. Mechanism of regeneration and influence of salt concentration. *Environmental Science and Technology*, Vol. 11, No. 3, pp. 260-265..
123. Semmens, M.J. and Martin, W. P. (1988): The influence of pretreatment on the capacity and selectivity of Clinoptilolite for metal ions. *Water Research*, Vol. 22, No. 5, pp. 537-542.
124. Semmens, M. J. and Seyfarth, M. (1978): The selectivity of Clinoptilolite for certain heavy metals: : In *Natural Zeolites: Occurrence, Properties, Use*, L. B. Sand and F. A. Mumpton, eds., Pergamon Press, Elmsford, New York, pp. 517-526.
125. Sheppard, R. A. (1984): Characterisation of zeolitic materials in agricultural research: In *Zeo-Agriculture, use of natural zeolites in agriculture and aquaculture*, W. G. Pond and F. A. Mumpton, eds., Westview Press, Boulder, Colorado, pp. 79-89.
126. Shibue, y. (1981): Cation-exchange reactions of siliceous and aluminous Phillipsites. *Clays and Clay Minerals*, Vol. 29, pp. 397-402.
127. Shuval, H. I. and Gruener, N. (1977): Infant methemoglobinemia and other health effects of nitrates in drinking water. *Prog. Wat. Tech.* Vol. 8, pp. 183-193.
128. Sierp, F. (1967): *Die gewerblichen und industriellen Abwässer*, Springer verlag, Heidelberg, Germany.

References

129. Treacy, M. M., Higgins, J. B. and von Ballmoos, R. (1996): Collection of simulated XRD powder patterns for zeolites. The structure Commission of the International Zeolite Association.
130. Townsend, R., P., and Loizidou, M. (1984): Ion exchange properties of natural Clinoptilolite, Ferrierte and Mordenite: I. Sodium-Ammonium Equilibria. *Zeolites*, Vol. 4, April, pp. 191-195.
131. Van Bekkum, H., Flanigen, E. M. and Jansen, J. C. (1991): Introduction to zeolite science and practice .Elsevier Science Publishers.The Netherlands
132. World health organisation (1971): Waste stabilisation ponds, Earnest F. Gloyna eds., Monograph series no. 60, Geneva.
133. Yamanaka, S., Malla, P. B. and Komarneni, S. (1989): Water sorption and desorption isotherms of some naturally occurring zeolites, *Zeolites*, Vol. 9, pp. 18-22.
134. Zamzow, M. J. and Schultze, L. E. (1995): Treatment of acid mine drainage using natural zeolites: : In *Natural Zeolites '93*, D.W. Ming and F.A. Mumpton, eds., Int. Comm. Natural Zeolites, Brockport, New York, pp. 405-414.