

6 References

- Ali, H.A.M., 2003. The potential use of some plant wax compounds as faecal markers to measure the botanical composition of herbivore diets. PhD thesis, University of Aberdeen.
- Andreae, M. O., Anderson B. E., Blake D. R., Bradshaw, J. D., Collins, J. E., Gregory, G. L., Sachse, G. W., Shipham, M. C., 1994. Influence of plumes from biomass burning on atmospheric chemistry over the equatorial Atlantic during CITE-3. *Journal Geophysical Research* 99, 12,793-12,808.
- Andreae, M.O., Atlas, E., Cachier, H., Cofer III, W.R., Harris, G.W., Helas, G., Koppmann, R., Lacaux, J.-P., Ward, D.E., 1996. Trace gas and aerosol emissions from savannah fires. *Biomass Burning and Global Change* 1, 278-295.
- Andreae, M. O., Andreae, T. W., Annegarn, H., Beer, J., Cachier, H., le Canut, P., Elbert, W., Maenhaut, W., Salma, I., Wienhold, F. G., Zenker, T., 1998. Airborne studies of aerosol emissions from savanna fires in southern Africa: 2. Aerosol chemical composition. *Journal of Geophysical Research* 103, 32,119-32,128.
- Anhuf, D., 1997. Paleovegetation in West Africa for 18,000 B.P. and 8,500 B.P. *Eiszeitalter und Gegenwart* 47, 112-119.
- Arens, N.C., Jahren, A.H., Amundson, R., 2000. Can C₃ plants faithfully record the carbon isotopic composition of the atmospheric carbon dioxide? *Paleobiology* 26, 137-164.
- Avato, P., Bianchi, G., Salamini, F., 1987. Ontogenetic variations in the chemical composition of maize surface lipids. In: Stumpf, P.K., Mudd, J.B., Nes, W.D. (Eds.), *The Metabolism, Structure, and Function of Plant Lipids*. Plenum Press, New York, pp. 549-551.
- Avato, P., Bianchi, G., Pogna, N., 1990. Chemosystematics of surface lipids from maize and some related species. *Phytochemistry* 29, 1571-1576.
- Baker, E.A., 1974. The influence of environment on leaf wax development in *Brassica oleracea* var. *gemmifera*. *The New Phytologist* 73, 955-966.
- Baker, E.A., 1982. Chemistry and morphology of plant epicuticular waxes. In: Cutler, D.F., Alvin, K.L., Price, C.E., (Eds.), *The Plant Cuticle*. Linnean Society Symposium Series Vol. 10, London, pp. 139-165.
- Baker, E.A., Procopiou, J., 1980. Effect of soil moisture status on leaf surface wax yield of some drought resistant species. *Journal of Horticultural Science* 55, 85-87.
- Barbosa, P.M., Stroppiana, D., Grégoire, J.-M., Pereira, J.M.C., 1999. An assessment of vegetation fire in Africa (1981-1991): Burned areas, burned biomass, and atmospheric emissions. *Global Biogeochemical Cycles* 13, 933-950.
- Bayer, A.W., 1959. The ecology of grasslands. In: Meredith, D. (Ed.), *The Grasses and Pastures of South Africa*, Second Impression. Central News Agency, pp. 539-550.
- Beerling, D.J., Royer, D.L., 2002. Fossil plants as indicators of the Phanerozoic global carbon cycle. *Annual Review of Earth and Planetary Science* 30, 527-556.
- Bender, M., 1968. Mass spectrometric studies of carbon 13 variations in corn and other grasses. *Radiocarbon* 10, 469-472.
- Berger, A.L., 1978. Long-term variations of caloric insolation resulting from the Earth's orbital elements. *Quaternary Research* 9, 139-167.

- Berner, R.A., 1993. Paleozoic Atmospheric CO₂: importance of solar radiation and plant evolution. *Science* 261, 68-70.
- Bianchi, G., 1995. Plant waxes. In: Hamilton, R.J. (Ed.), *Waxes: Chemistry, Molecular Biology and Functions*. The Oil Press, Dundee, 175-222.
- Bianchi, G., Avato, P., Scarpa, O., Murelli, C., Audisio, G., Rossini, A., 1989. Composition and structure of maize epicuticular wax esters. *Phytochemistry* 28, 167-171.
- Bird, M. I., Pousai, P., 1997. $\delta^{13}\text{C}$ variations in the surface soil organic carbon pool. *Global Biogeochemical Cycles* 11, 313-322, 1997.
- Björkman, O., 1976. Adaptive and genetic aspects of C₄ photosynthesis. In: Burris, R.H., Black, C.C. (Eds.), *Metabolism and Plant Productivity*. University Park Press, Baltimore, pp. 287-309.
- Björkman, O., Berry, J., 1973. High-efficiency photosynthesis. *Scientific American* 229, 80-93.
- Blumer, M., Guillard, R.R.L., Chase, T., 1971. Hydrocarbons of marine phytoplankton. *Marine Biology* 8, 183-189.
- Boadi, D.A., Moshtaghi Nia, S.A., Wittenberg, K.M., McCaughey, W.P., 2002. The *n*-alkane profile of some native and cultivated forages in Canada. *Canadian Journal of Animal Science* 82, 465-469.
- Bond, W.J., van Wilgen, B.W., 1996. *Fire and Plants. Population and Community Biology Series 14*, Chapman and Hall, London.
- Bond, W.J., Midgley, G.F., Woodward, F.I., 2003. The importance of low atmospheric CO₂ and fire in promoting the spread of grasslands and savannas. *Global Change Biology* 9, 973-982.
- Boom, A., 2004. A geochemical study of lacustrine sediments: towards palaeo-climatic reconstructions of high Andean biomes in Colombia. PhD thesis, University of Amsterdam.
- Boom, A., Mora, G., Cleef, A.M., Hooghiemstra, H., 2001. High altitude C₄ grasslands in the northern Andes: relicts from glacial conditions? *Review of Palaeobotany and Palynology* 115, 147-160.
- Boom, A., Marchant, R., Hooghiemstra, H., Sinninghe Damsté, J.S., 2002. CO₂- and temperature-controlled altitudinal shifts of C₄- and C₃-dominated grasslands allow reconstruction of palaeoatmospheric $p\text{CO}_2$. *Palaeogeography, Palaeoclimatology, Palaeoecology* 177, 151-168.
- Bourliere, F., 1983. *Tropical Savannas*. Elsevier, Amsterdam.
- Bray, E.E., Evans, E.D., 1961. Distribution of *n*-paraffins as a clue to recognition of source beds. *Geochimica et Cosmochimica Acta* 22, 2-15.
- Budavari, S. (Ed.), 1991. *The Merck Index: An Encyclopedia of Chemicals, Drugs, and Biologicals*, 11th ed., 3rd print., Merck and Company, Rahway, NJ.
- Cacho, I., Grimalt, J. O., Canals, M., Sbaiffi, L., Shackleton, N. J., Schönfeld, J., Zahn, R., 2001. Variability of the western Mediterranean Sea surface temperature during the last 25,000 years and its connection with the Northern Hemisphere climatic changes. *Paleoceanography* 16, 40-52.
- Camberlin, P., Janicot, S., Pocard, I., 2001. Seasonality and atmospheric dynamics of the teleconnection between African rainfall and tropical sea-surface temperature. Atlantic vs. ENSO. *International Journal of Climatology* 21, 973-1005.
- Cerling, T.E., Wang, Y., Quade, J., 1993. Expansion of C₄ ecosystems as an indicator of global ecological change in the late Miocene. *Nature* 361, 344-345.

- Cerling, T.E., Harris, J.M., MacFadden, B.J., Leakey, M.G., Quade, J., Eisenmann, V., Ehleringer, J.R., 1997. Global vegetation change through the Miocene/Pliocene boundary. *Nature* 389, 153-158.
- Chen, W., Lefroy, R.D.B., Scott, J.M., Blair, G.J., 1998. Field variations in alkane signatures among plant species in 'degraded' and perennial pastures on the Northern Tablelands of New South Wales. *Australian Journal of Agriculture Research* 49, 263-268.
- Chester, R., Elderfield, H., Griffin, J. J., Johnson, L. R., Padgham, R. C., 1972. Eolian dust along the eastern margins of the Atlantic Ocean. *Marine Geology* 13, 91-106.
- Chiapello, I., Bergametti, G., Chatenet, B., Dulac, F., Jankowiak, I., Liousse, C., Soares, E. S., 1999. Contribution of the different aerosol species to the aerosol mass load and optical depth over the northeastern tropical Atlantic. *Journal of Geophysical Research* 104, 4025-4035.
- Chibnall, A.C., Piper, S.H., Pollard, A., Williams, E.F., Sahai, P.N., 1934. The constitution of the primary alcohols, fatty acids and paraffins present in plant and insect waxes. *Biochemical Journal* 28, 2189-2208.
- Chikaraishi, Y., Naraoka, H., 2003. Compound-specific δD - $\delta^{13}C$ analyses of *n*-alkanes extracted from terrestrial and aquatic plants. *Phytochemistry* 63, 361-371.
- Clayton, W.D., Renvoize, S.A., 1986. *Genera Graminum – Grasses of the World*. Kew Bulletin Additional Series XIII, London: Her Majesty's Stationery Office.
- Collatz, G.J., 1977. Influence of certain environmental factors on photosynthesis and photorespiration in *Simmondsia chinensis*. *Planta* 134, 127-132.
- Collatz, G.J., Berry, J.A., Clark, J.S., 1998. Effects of climate and atmospheric CO₂ partial pressure on the global distribution of C₄ grasses: present, past, and future. *Oecologia* 114, 441-454.
- Collister, J.W., Rieley, G., Stern, B., Eglinton, G., Fry, B., 1994. Compound-specific $\delta^{13}C$ analyses of leaf lipids from plants with differing carbon dioxide metabolisms. *Organic Geochemistry* 21, 619-627.
- Conte, M.H., Weber, J.C., 2002a. Long-range atmospheric transport of terrestrial biomarkers to the western North Atlantic. *Global Biogeochemical Cycles* 16, No. 4, 1142, doi:10.1029/2002GB001922.
- Conte, M.H., Weber, J.C., 2002b. Plant biomarkers in aerosol record isotopic discrimination of terrestrial photosynthesis. *Nature* 417, 639-641.
- Conte, M.H., Weber, J.C., Carlson, P.J., Flanagan, L.B., 2003. Molecular and carbon isotopic composition of leaf wax in vegetation and aerosols in a northern prairie ecosystem. *Oecologia* 135, 67-77.
- Coupland, R. T., 1992. Approach and generalizations. In: Coupland, R.T. (Ed.), *Ecosystems of the World 8A, Natural Grassland, Introduction and Western Hemisphere*. Elsevier, New York, pp. 1-6.
- Cowling, R.M., Richardson, D.M., Pierce, S.M. (Eds.), 1997. *Vegetation of Southern Africa*, Cambridge University Press, New York.
- Cranwell, P.A., 1973. Chain-length distribution of *n*-alkanes from lake sediments in relation to post-glacial environmental change. *Freshwater Biology* 3, 259-265.
- Cranwell, P.A., 1981. Diagenesis of free and bound lipids in terrestrial detritus deposited in a lacustrine sediment. *Organic Geochemistry* 3, 79-89.
- Cross, R.A., 1980. Distribution of subfamilies of Gramineae in the old world. *Kew Bulletin* 35, 279-289.

- Davis, J.B., 1968. Paraffinic hydrocarbons in the sulphate-reducing bacterium *Desulfovibrio desulfuricans*. *Chemical Geology* 3, 155-160.
- Dawson, L.A., Mayes, R.W., Elston, D.A., Smart, T.S., 2000. Root hydrocarbons as potential markers for determining species composition. *Plant, Cell and Environment* 23, 743-750.
- de la Harpe, A.C., Visser, J.H., Grobbelaar, N., 1981. Photosynthetic characteristics of some African parasitic flowering plants. *Zeitschrift für Pflanzenphysiologie* 103, 265-275.
- Delgado, D.C., Olivera, M.C., Navarro, A., 2000. Composition of cuticular *n*-alkanes in tropical plants. Their potential as markers to estimate consumption and selection of grazing ruminants. *Cuban Journal of Agricultural Science* 34, 147-152.
- DeLucia, E.H., Schlesinger, W.H., Billings, W.D., 1988. Water relation and the maintenance of Sierran conifers on hydrothermally altered rock. *Ecology* 69, 303-323.
- Dengler, N.G., Nelson, T., 1999. Leaf structure and development in C₄ plants. In: Sage, R.F., Monson, R.K. (Eds.), *C₄ Plant Biology*. Academic Press, San Diego, pp. 133-172.
- Dodd, R.S., Afzal-Rafii, Z., 2000. Habitat-related adaptive properties of plant cuticular lipids. *Evolution* 54, 1438-1444.
- Dove, H., 1992. Using the *n*-alkanes of plant cuticular wax to estimate the species composition of herbal mixtures. *Australian Journal of Agriculture Research* 43, 1711-1724.
- Dove, H., Mayes, R.W., 1991. The use of plant wax alkanes as marker substances in studies of the nutrition of herbivores: a review. *Australian Journal of Agriculture Research* 42, 913-952.
- Dove, H., Milne, J.A., Mayes, R.W., 1990. Comparison of herbage intakes estimated from in vitro or alkane-based digestibilities. *Proceedings of the New Zealand Society of Animal Production* 50, 457-459.
- Dove, H., Mayes, R.W., Freer, M., 1996. Effects of species, plant part, and plant age on the *n*-alkane concentrations in the cuticular wax of pasture plants. *Australian Journal of Agriculture Research* 47, 1333-1347.
- Downes, R.W., 1969. Differences in transpiration rate between tropical and temperate grasses under controlled conditions. *Planta* 88, 261-273.
- Downton, J.S., 1975. The occurrence of C₄ photosynthesis among plants. *Photosynthetica* 9, 96-105.
- Dupont, L. M., Wyputta, U., 2003. Reconstructing pathways of aeolian pollen transport to the marine sediments along the coastline of SW Africa. *Quaternary Science Reviews* 22, 157-174.
- Dupont, L., Jahns, S., Marret, F., Ning, S., 2000. Vegetation change in equatorial West Africa: time-slices for the last 150 ka. *Palaeogeography, Palaeoclimatology, Palaeoecology* 155, 95-122.
- Dupont, L. M., Donner, B., Schneider, R., Wefer, G., 2001. Mid-Pleistocene environmental change in tropical Africa began as early as 1.05 Ma. *Geology* 29, 195-198.
- Edwards, G.E., Nakamoto, H., Burnell, J.N., Hatch, M.D., 1985. Pyruvate, Pi dikinase and NADP-malate dehydrogenase in C₄ photosynthesis – properties and mechanism of light/dark regulation. *Annual Reviews of Plant Physiology* 36, 255-286.
- Eglinton, G., Hamilton, R., 1967. Leaf epicuticular waxes. *Science* 156, 1322-1335.

- Eglinton, T.I., Eglinton, G., Dupont, L., Sholkovitz, E.R., Montlucon, D., Reddy, C.M., 2002. Composition, age, and provenance of organic matter in NW African dust over the Atlantic Ocean. *Geochemistry, Geophysics, Geosystems* 3 (8), 1050, doi: 10.1029/2001GC000269
- Ehleringer, J.R., Monson, R.K., 1993. Evolutionary and ecological aspects of photosynthetic pathway variation. *Annual Review of Ecology and Systematics* 24, 411-439.
- Ehleringer, J.R., Lin, Z.F., Field, C.B., Sun, G.C., Kuo, C.Y., 1987. Leaf carbon isotope ratios of plants from a subtropical monsoon forest. *Oecologia* 72, 109-114.
- Ehleringer, J.R., Cerling, T.E., Helliker, B.R., 1997. C₄ photosynthesis, atmospheric CO₂, and climate. *Oecologia* 112, 285-299.
- Ellis, R.P., 1977. Distribution of the Krantz syndrome in the southern African Eragrostoideae and Panicoideae. *Agroplanatae* 9, 73-110.
- Ellis, R.P., Vogel, J.C., Fuls, A., 1980. Photosynthetic pathways and the geographical distribution of grasses in South West Africa/Namibia. *South African Journal of Science* 76, 307-314.
- Elmore, C.D., Paul, R.N., 1983. Composite list of C₄ weeds. *Weed Science* 31, 686-692.
- Fairbanks, R.G., 1989. A 17,000-year glacio-eustatic sea level record: influence of glacial melting rates on the Younger Dryas event and deep-ocean circulation. *Nature* 342, 637-642.
- Farquhar, G.D., 1983. On the nature of carbon isotope discrimination in C₄ species. *Australian Journal of Plant Physiology* 10, 205-226.
- Farquhar, G.D., O'Leary, M.H., Berry, J.A., 1982. On the relationship between carbon isotope discrimination and the intercellular carbon dioxide concentration in leaves. *Australian Journal of Plant Physiology* 9, 121-137.
- Farquhar, G.D., Ehleringer, J.R., Hubick, K.T., 1989. Carbon isotope discrimination and photosynthesis. *Annual Review of Plant Physiology and Plant Molecular Biology* 40, 503-537.
- Faure, K., Dewit, M.J., Willis, J.P., 1995. Late Permian global coal hiatus linked to ¹³C-depleted CO₂ flux into the atmosphere during the final consolidation of Pangea. *Geology* 23, 507-510.
- Ficken, K.J., Street-Perrott, R.A., Perrott, R.A., Swain, D.L., Olago, D.O., Eglinton, G., 1998. Glacial/interglacial variations in carbon cycling revealed by molecular and isotope stratigraphy of Lake Nkunga, Mt. Kenya, East Africa. *Organic Geochemistry* 5-7, 1701-1719.
- Fontugne, M.R., Duplessy, J.-C., 1981. Organic carbon isotopic fractionation by marine plankton in the temperature range -1 to 31°C. *Oceanologica Acta* 4, 85-90.
- Fredlund, G.G., Tieszen, L.L., 1997. Calibrating grass phytolith assemblages in climatic terms: Application to late Pleistocene assemblages from Kansas and Nebraska. *Palaeogeography, Palaeoclimatology, Palaeoecology* 136, 199-211.
- Friedli, H., Lotscher, H., Oeschger, H., Siegenthaler, U., Stauffer, B., 1986. Ice core record of the ¹³C/¹²C of atmospheric CO₂ in the past two centuries. *Nature* 324, 237-238.
- Frost, P.G., Robertson, F., 1987. The ecological effects of fire in savannas. In: Walker, B.H. (Ed.), *Determinants of tropical savannas*. IRL Press, Oxford, pp. 93-140.
- Gagosian, R.B., Peltzer, E.T., 1986. The importance of atmospheric input of terrestrial organic matter to deep sea sediments. In: Leythaeuser, D., Rullkötter, J. (Eds.), *Advances in Organic Geochemistry 1985*. Pergamon Press, Oxford, pp. 661-669.

- Ghannoum, O., von Caemmerer, S., Conroy, J.P., 2001. Carbon and water economy of Australian NAD-ME and NADP-ME C₄ grasses. *Australian Journal of Plant Physiology* 28, 213-223.
- Gibbs, A., 1995. Physical properties of insect cuticular hydrocarbons: model mixtures and lipid interactions. *Comparative Biochemistry and Physiology B* 122, 667-672.
- Gibbs, A.G., 2002. Lipid melting and cuticular permeability: new insights into an old problem. *Journal of Insect Physiology* 48, 391-400.
- Gibbs Russell, G.E., 1988. Distribution of subfamilies and tribes of Poaceae in southern Africa. *Modern systematic studies in African botany. Monographs in Systematic Botany from the Missouri Botanical Garden* 25, 555-566.
- Gibbs Russell, G.E., Watson, L., Koekemoer, M., Smook, L., Barker, N.P., Anderson, M.J., Dallwitz, M.J., 1991. Grasses of Southern Africa. *Memoirs of the Botanical Survey No. 58*, Botanical Research Institute of South Africa.
- Gillon, D., 1983. The fire problem in tropical savannas. In: Bourlière, F. (Ed.), *Tropical Savannas*. Elsevier, Amsterdam, pp. 617-641.
- Gingele, F. X., 1995. Holocene climatic optimum in Southwest Africa - evidence from the marine clay mineral record. *Palaeogeography, Palaeoclimatology, Palaeoecology* 122, 77-87.
- Gingele, F. X., Müller, P. M., Schneider, R. R., 1998. Orbital forcing of freshwater input in the Zaire Fan area: clay mineral evidence from the last 200 kyr. *Palaeogeography, Palaeoclimatology, Palaeoecology* 138, 17-26.
- Giussani L.M., Cota-Sánchez, J.H., Zuloaga, F.O., Kellogg, E.A., 2001. A molecular phylogeny of the grass subfamily Panicoideae (Poaceae) shows multiple origins of C₄ photosynthesis. *American Journal of Botany* 88, 1993-2012.
- Grass Phylogeny Working Group, 2001. Phylogeny and subfamilial classification of the grasses (Poaceae). *Annals of the Missouri Botanical Garden* 88, 373-457.
- Grazzini, C.V., Saliège, J.F., Urrutiaguer, M.J., Iannace, A., 1990. Oxygen and carbon isotope stratigraphy of the ODP hole 653A and site 654: the Pliocene-Pleistocene glacial history recorded in the Tyrrhenian Basin (west Mediterranean). *Scientific Results of the Ocean Drilling Program* 107, 361-386.
- Gröcke, D.R., Price, G.D., Ruffel, A.H., Mutterlose, J., Baraboshkin, E., 2003. Isotopic evidence for Late Jurassic-Early cretaceous climate change. *Palaeogeography, Palaeoclimatology, Palaeoecology* 202, 97-118.
- Guilderson, T.P., Fairbanks, R.G., Rubenstone, J.L., 1994. Tropical temperature variations since 20,000 years ago: modulating interhemispheric climate change. *Science* 263, 663-665.
- Gülz, P.-G., 1994. Epicuticular leaf waxes in the evolution of the plant kingdom. *Journal of Plant Physiology* 143, 453-464.
- Güntner, U., 2000. Geochemische Signale in Tiefseesedimenten des südwestafrikanischen Kontinentalrands: Indikatoren für paläoklimatische und paläoozeanographische Bedingungen. Dissertation, University of Oldenburg.
- Hao, W.M., Liu, M.-H., 1994. Spatial and temporal distribution of tropical biomass burning. *Global Biogeochemical Cycles* 8, 495-503.
- Hartly, W., 1950. The global distribution of tribes of the Gramineae in relation to historical and environmental factors. *Australian Journal of Agriculture Research* 1, 355-373.
- Hatch, M.D., 1987. C₄ photosynthesis: a unique blend of modified biochemistry, anatomy and ultra structure. *Biochimica et Biophysica Acta* 895, 81-106.

- Hatch, M.D., Slack, C.R., 1966. Photosynthesis by sugarcane leaves. A new carboxylation reaction and the pathway of sugar formation. *Biochemical Journal* 101, 103-111.
- Hatch, M.D., Slack, C.R., Johnson, H.S., 1967. Further studies on a new pathway of photosynthetic carbon dioxide fixation in Sugar-Cane and its occurrence in other plant species. *Biochemical Journal* 102, 417-422.
- Hatch, M.D., Kagawa, T., Craig, S., 1975. Subdivision of C₄ pathway species based on differing C₄ acid decarboxylating systems and ultrastructural features. *Australian Journal of Plant Physiology* 2, 111-128.
- Hattersley, P.W., 1982. $\delta^{13}\text{C}$ values of C₄ types of grasses. *Australian Journal of Agriculture Research* 9, 139-154.
- Hattersley, P.W., 1987. Variations in photosynthetic pathway. In: Soderstrom, T.R., Hilu, K.W., Campbell, C.D.S., Barkworth, M. E. (Eds.), *Grass Systematics and Evolution*. Smithsonian Institution Press, Washington, DC, pp. 49-64.
- Hattersley, P.W., Watson, L., 1992. Diversification of photosynthesis. In: Chapman, G.P. (Ed.), *Grass Evolution and Domestication*. Cambridge University Press, Cambridge, pp. 38-116.
- Hayes, J.M., 1993. Factors controlling ^{13}C contents of sedimentary organic compounds: Principles and evidence. *Marine Geology* 113, 111-125.
- Herman, J. R., Bhartia, P. K., Torres, O., Hsu, N. C., Seftor, C. J., Celarier, E., 1997. Global distribution of UV-absorbing aerosols. *Journal of Geophysical Research* 102, 16,911-16,922.
- Hinrichs, K.-U., Rinna, J., Rullkötter, J., 1997. Late Quaternary palaeoenvironmental conditions indicated by marine and terrestrial molecular biomarkers in sediments from the Santa Barbara basin. In: Wilson, R.C., Tharp, V.L. (Eds.), *Proceedings of the Fourteenth Annual Pacific Climate (PACLIM) Workshop, Interagency Ecology Program, Technical Report no. 57, California Department of Water Resources, Sacramento (CA)*, pp. 125-134.
- Hinrichs, K.-U., Schneider, R. R., Müller, P. J., Rullkötter, J., 1999. A biomarker perspective on paleoproductivity variations in two Late Quaternary sediment sections from the Southeast Atlantic Ocean. *Organic Geochemistry* 30, 341-366.
- Hovland, M., Judd, A. G., 1988. *Seabed Pockmarks - Impact on Geology, Biology and Marine Environment*. Graham & Trotman, London.
- Hsu, N. C., Herman, J. R., Bhartia, P. K., Seftor, C. J., Thompson, A. M., Gleason, J. F., Eck, T. F., Holben, B. N., 1996. Detection of biomass burning smoke from TOMS measurements. *Geophysical Research Letters* 23, 745-748.
- Hu, J., Peng, P., Jia, G., Fang, D., Zhang, G., Fu, J., Wang, P., 2002. Biological markers and their carbon isotopes as an approach to the paleoenvironmental reconstruction of Nansha area, South China Sea, during the last 30 ka. *Organic Geochemistry* 33, 1197-1204.
- Huang, Y., Dupont, L.M., Sarnthein, M., Hayes, J.M., Eglinton, G., 2000. Mapping of C₄ plant input from North West Africa into North East Atlantic sediments. *Geochimica et Cosmochimica Acta* 64, 3505-3513.
- Huang, Y., Street-Perrott, F. A., Metcalfe, S. E., Brenner, M., Moreland, M., Freeman K. H., 2001. Climate change as the dominant control on glacial-interglacial variations in C₃ and C₄ plant abundance. *Science* 293, 1647-1651.
- Husar, R. B., Prospero, J. M., Stowe, L. L., 1997. Characterization of tropospheric aerosols over the oceans with the NOAA advanced very high resolution radiometer optical thickness operational product. *Journal of Geophysical Research* 102, 16,889-16,909.

- Huntley, B.J., Walker, B.H., 1982. *Ecology of Tropical Savannas*. Springer, Berlin.
- Imbrie, J., Hays, J.D., Martinson, D.G., McIntyre, A., Mix, A.C., Morley, J.J., Pisias, N.G., Prell, W.L., Shackleton, N.J., 1984. The orbital theory of Pleistocene climate: support from a revised chronology of marine $\delta^{18}\text{O}$ record. In: Berger, A.L., Imbrie, J., Hays, J., et al. (Eds.), *Milankovitch and Climate Part 1. Series C: Mathematical and Physical Science*. Reidel Publishing Company, Dordrecht, pp. 269-305.
- Jacobs, B.F., Kingston, J.D., Jacobs, L.L., 1999. The origin of grass-dominated ecosystems. *Annals of the Missouri Botanical Garden* 86, 590-643.
- Jansen, J.H.F., van Weering, T.C.E., Gieles, R., van Iperen, J., 1984. Middle and Late Quaternary oceanography and climatology of the Zaire-Congo fan and the adjacent Angola basin. *Netherlands Journal of Sea Research* 17, 201-249.
- Johnson, B. J., Fogel, M., Miller, G. H., 1998. Stable isotopes in modern ostrich eggshell: a calibration for paleoenvironmental applications in semi-arid regions of southern Africa. *Geochimica et Cosmochimica Acta* 62, 2451-2461.
- Jolly, D., Haxeltine, A., 1997. Effect of low glacial atmospheric CO_2 on tropical African montane vegetation. *Science* 276, 786-788.
- Jones, M.B., 1987. The photosynthetic characteristics of papyrus in a tropical swamp. *Oecologia* 71, 355-359.
- Jouzel, J., Lorius, C., Petit, J.R., Genthon, C., Barkov, N.I., Kotlyakov, V.M., Petrov, V.M., 1987. Vostok ice core: a continuous isotope temperature record over the last climatic cycle (160,00 years). *Nature* 329, 403-408.
- Juniper, D., Southwood, R. (Eds.), 1986. *Insects and plant surfaces*, Edward Arnold, London, 360 pp.
- Justice, C. O., Kendall, J. D., Dowty, P. R., Scholes, R. J., 1996. Satellite remote sensing of fires during the SAFARI campaign using NOAA advanced very high resolution radiometer data. *Journal of Geophysical Research* 101, 23,851-23,864.
- Kaufman, L., Rousseeuw, P.J., 1990. *Finding Groups in Data. An Introduction to Cluster Analyses*, Wiley, New York, 368 pp.
- Kawamura, K., Ishimura, Y., Yamazaki, K., 2003. Four years' observation of terrestrial lipid class compounds on marine aerosols from the western North Pacific. *Global Biogeochemical Cycles* 17, 1-19.
- Keeley, J.E., Rundel, P.W., 2003. Evolution of C_4 and C_3 carbon-concentrating mechanisms. *International Journal of Plant Science* 164, S55-S77.
- Keeling, C.D., Mook, W.G., Tans, P., 1979. Recent trends in the $^{13}\text{C}/^{12}\text{C}$ ratio of atmospheric carbon dioxide. *Nature* 277, 121-123.
- Kellogg, E.A., 1999. Phylogenetic aspects of the evolution of C_4 photosynthesis. In: Sage, F., Monson, R.K. (Eds.), *C_4 Plant Biology*. Academic Press, London, pp. 411-444.
- Kellogg, E.A., 2001. Evolutionary history of the grasses. *Plant Physiology* 125, 1198-1205.
- Kim, J.-H., Schneider, R. R., Mulitza, S., Müller, P. J., 2003. Reconstruction of SE trade-wind intensity based on sea-surface temperature gradients in the Southeast Atlantic over the last 25 kyr. *Geophysical Research Letters* 30, 2144-2147, doi: 10.1029/2003GL017557.
- Kirst, G. J., Schneider, R. R., Müller, P. J., von Storch, I., Wefer, G., 1999. Late Quaternary temperature variability in the Benguela Current system derived from alkenones. *Quaternary Research* 52, 92-103.
- Koch P.L., Behrensmeyer, A.K., Fogel, M.L., 1991. The isotopic ecology of plants and animals in Amboseli National Park, Kenya. *Carnegie Institution Year Book: The President's report*, 163-171.

- Kolattukudy, P.E., 1976. Introduction to natural waxes. In: Kolattukudy, P.E. (Ed.), *Chemistry and Biochemistry of Natural Waxes*, 1st Edition. Elsevier, Amsterdam, pp. 1-17.
- Kolattukudy, P.E., 1980. III. Biosynthesis of waxes, cutin, and suberin. In: Stumpf, P.K., Conn, E.E. (Eds.), *The Biochemistry of Plants*, Volume 4, *Lipids: Structure and Function*. Academic Press, New York, pp. 600-617.
- Kolattukudy, P.E., 1996. Biosynthetic pathways of cutin and waxes, and their sensitivity to environmental stresses. In: Kerstiens, G. (Ed.), *Plant Cuticles, an Integrated Functional Approach*, 1st Edition. BIOS Scientific Publishers Ltd, Oxford, pp. 83-108.
- Laetsch, W.M., 1969. Relationship between chloroplast structure and photosynthetic carbonfixation pathways. *Science Progress* 57, 323-351.
- Laing, W.A., Ogren, W.L., Hageman, R.H., 1974. Regulation of soybean net photosynthetic CO₂ fixation by interaction of CO₂, O₂ and ribose 1,5-bisphosphate carboxylase. *Plant Physiology* 54, 678-685.
- Laredo, M.A., Simpson, G.D., Minson, D.J., Orpin, C.G., 1991. The potential for using *n*-alkanes in tropical forages as a marker for the determination of dry matter by grazing ruminants. *Journal of Agricultural Science* 117, 355-361.
- Leegood, R.C., 1999a. Photosynthesis in C₃ plants: The Benson-Calvin Cycle and photorespiration. In: Lea, P.J., Leegood, R.C. (Eds.), *Plant Biochemistry and Molecular Biology*. Wiley, West Sussex, pp. 29-50.
- Leegood, R.C., 1999b. Carbon dioxide-concentrating mechanisms: C₄ photosynthesis and crassulacean acid metabolism. In: Lea, P.J., Leegood, R.C. (Eds.), *Plant Biochemistry and Molecular Biology*. Wiley, West Sussex, pp. 51-79.
- Legendre, P., Legendre, L., 1998. *Numerical Ecology*, Elsevier, Amsterdam.
- Leistner, O.A., 1967. The plant ecology of the southern Kalahari. *Botanical Survey of South Africa* 38, 11-73.
- Leuenberger, M., Siegenthaler, U., Langway, C.C., 1992. Carbon isotopic composition of atmospheric CO₂ during the last ice age from an Antarctic ice core. *Nature* 357, 488-490.
- Libbert, E., 1991. *Allgemeine Biologie*, Fischer-Verlag, Stuttgart.
- Lichtfouse, É., Derenne, S., Mariotti, A., Largeau, C., 1994. Possible algal origin of long chain odd *n*-alkanes in immature sediments as revealed by distributions and carbon isotopic ratios. *Organic Geochemistry* 22, 1023-1027.
- Lide, D.R., 2004. *CRC-Handbook of Chemistry and Physics*. CRC-Press, London.
- Lindzen, R. S., Nigam, S., 1987. On the role of sea surface temperature gradients in forcing low level winds and convergence in the tropics. *Journal of Atmosphere Science* 44, 2418-2436.
- Lockheart, M. J., van Bergen, P. F., Evershed, R. P., 1997. Variation in the stable carbon isotope compositions of individual lipids from the leaves of modern angiosperms: Implications for the study of higher land plant-derived sedimentary organic matter. *Organic Geochemistry* 26, 137-153.
- Loveland, T. R., Zhu, Z., Ohlen, D. O., Brown, J. F., Reed, B. C., Yang, L., 1999. An analysis of the IGBP global land-cover characterization process, *Photogrammetric Engineering Remote Sensing* 65, 1021-1032.
- Loveland, T.R., Reed, B.C., Brown, J.F., Ohlen, D.O., Zhu, J, Yang, L., Merchant, J.W., 2000. Development of a global land cover characteristics database and IGBP DISCover from 1-km AVHRR data. *International Journal of Remote Sensing* 21, 1303-1330.

- Lutjeharms, J.R.L., Meeuwis, J.M., 1987. The extent and variability of south-east Atlantic upwelling. *South African Journal of Marine Science* 5, 51-62.
- Lutjeharms, J.R.L., Stockton, P.L., 1987. Kinematics of the upwelling front of southern Africa. The Benguela and comparable ecosystems. *South African Journal of marine Science* 5, 35-49.
- Lüttge, U., 2002. CO₂-concentrating:consequences in Crassulacean acid metabolism. *Journal of Experimental Botany* 53, 2131-2142.
- Lyle, M., 1988. Climatically forced organic carbon burial in equatorial Atlantic and Pacific Oceans. *Nature* 335, 529-532.
- Maffei, M., 1996. Chemotaxonomic significance of leaf wax alkanes in the Gramineae. *Biochemical Systematics and Ecology* 24, 53-64.
- Malossini, F., Piasentier, E., Bovolenta, S., 1990. *n*-Alkane content of some forages. *Journal of the Science of Food and Agriculture* 53, 405-409.
- Mangelsdorf, K., Güntner, U., Rullkötter, J., 2000. Climatic and oceanographic variations on the California continental margin during the last 160 kyr. *Organic Geochemistry* 31, 829-846.
- Marino, B.D., McElroy, M.B., Salawitch, R.J., Spaulding, W.G., 1992. Glacial-to-interglacial variations in the carbon isotopic composition of atmospheric CO₂. *Nature* 357, 461-466.
- Mariotti, A., Gadel, F., Giresse, P., Kinga-Mouzeo, 1991. Carbon isotope composition and geochemistry of particulate organic matter in the Congo River (Central Africa): Application to the study of Quaternary sediments off the mouth of the river. *Chemical Geology (Isotope Geoscience Section)* 86, 345-357.
- Martin, J.T., Juniper, B.E., 1970. *The Cuticles of Plants*, Edward Arnold, London.
- Mayes, R.W., Lamb, C.S., Colgrove, P.M., 1986. The use of dosed and herbage *n*-alkanes as markers for the determination of herbage intake. *Journal of Agricultural Science* 107, 161-170.
- Mayes, R.W., Beresford, N.A., Lamb, C.S., Barnett, C.L., Howard, B.J., Jones, B.-E.V., Eriksson, O., Hove, K., Pederson, Ø., Staines, B.W., 1994. Novel approaches to the estimation of intake and bioavailability of radiocaesium in ruminant grazing forested areas. *Science of the Total Environment* 157, 289-300.
- McDuffee, K.E., Eglinton, T.I., Sessions, A.L., Sylva, S., Wagner, T., Hayes, J.M., 2004. Rapid analysis of ¹³C in plant-wax *n*-alkanes for reconstruction of terrestrial vegetation signals from aquatic sediments. *Geochemistry, Geophysics, Geosystems* 5 (10), 10004, doi: 10.1029/2004GC000772.
- McLean, B., Scott, L., 1999. Phytoliths in sediments of the Pretorian Saltpan (Tswaing Crater) and their potential as indicators of environmental history at the site. In: Patridge, T.C. (Ed.), *Tswaing-Investigations into the Origin, Age and Palaeoenvironments of the Pretoria Saltpan*. Council for Geoscience, Pretoria, pp. 167-171.
- Medina, E., Minchin, P., 1980. Stratification of δ¹³C values of leaves in Amazonian rain forest. *Oecologia* 45, 377-378.
- Milankovitch, M., 1930. *Mathematische Klimalehre und astronomische Theorie der Klimaschwankungen*. Gebrüder Bornträger, Berlin.
- Mook, W.G., Bommerson, J.C., Staverman, W.H., 1974. Carbon isotope fractionation between dissolved bicarbonate and gaseous carbon dioxide. *Earth Planetary Science Letters* 22, 169-176.
- Moore, P.D., Webb, J.A., Collinson, M.E., 1991. *Pollen analysis*. Blackwell, Oxford.

- Mudge, S. M., Norris, C. E., 1997. Lipid biomarkers in the Conwy Estuary (North Wales, U.K.): a comparison between fatty alcohols and sterols. *Marine Chemistry* 57, 61-84.
- Muzuka, A.N.N., 1999. Isotopic composition of tropical East African flora and their potential as source indicators of organic matter in coastal marine sediments. *Journal of African Earth Sciences* 28, 757-766.
- Neftel, A., Oeschger, H., Staffelbach, T., Stauffer, B., 1988. CO₂ record in the Byrd ice core 50,000-5,000 years BP. *Nature* 331, 609-611.
- New, M., Hulme, M., Jones, P., 1999. Representing twentieth-century space-time climate variability. Part I: Development of a 1961-90 mean monthly terrestrial climatology. *Journal of Climate* 12, 829-856.
- Nichols, P.D., Klumpp, D.W., Johns, R.B., 1982. Lipid components of the seagrasses *Posidonia australis* and *Heterozostera tasmanica* as indicators of carbon source. *Phytochemistry* 21, 1613-1621.
- Nichols, P.D., Johns, R.B., 1985. Lipids of the tropical seagrass *Thalassia hemprichii*. *Phytochemistry* 24, 81-84.
- Nishimoto, S., 1974a. A chemotaxonomic study of *n*-alkanes in leaf surface waxes of terrestrial plants. *Journal of Science of Hiroshima University* 38, 151-158.
- Nishimoto, S., 1974b. A chemotaxonomic study of *n*-alkanes in aquatic plants. *Journal of Science of Hiroshima University* 38, 159-163.
- Norton-Griffiths, M., 1979. The influence of grazing, browsing, and fire on the vegetation dynamics of the Serengeti. In: Sinclair, A.R.E., Norton-Griffiths, M. (Eds.), *Serengeti: Dynamics of an Ecosystem*. University of Chicago Press, Chicago, pp. 310-352.
- O'Connor, T.G., Bredenkamp, G.J., 1997. Grassland. In: Cowling, R.M., Richardson, D.M., Pierce, S.M. (Eds.), *Vegetation of Southern Africa*. Cambridge University Press, New York, 215-257.
- O'Leary, M.H., 1981. Carbon isotope fractionation in plants. *Phytochemistry* 20, 553-567.
- Osmond, C.B., Winter, K., Ziegler, H., 1980. Functional significance of different pathways of CO₂ fixation of photosynthesis. *Encyclopedia of Plant Physiology* 12A, 480-547.
- Pancost, R.D., Boot, C.S., 2004. The palaeoclimatic utility of terrestrial biomarkers in marine sediments. *Marine Chemistry* 92, 239-261.
- Parkington, J., Cartwright, C., Cowling, R.M., Baxter, A., Meadows, M., 2000. Palaeovegetation at the last glacial maximum in the western Cape, South Africa: wood charcoal and pollen evidence from Elands Bay Cave. *South African Journal of Science* 96, 543-546.
- Partridge, T.C., Scott, L., Hamilton, J.E., 1999. Synthetic reconstructions of southern African environments during the Last Glacial Maximum (21-18 kyr) and the Holocene Altithermal (8-6 kyr). *Quaternary Research* 57/58, 207-214.
- Patel, S., Nelson, D.R., Gibbs, A.G., 2001. Chemical and physical analyses of wax ester properties. *Journal of Insect Science* 1 (4), 7 pp.
- Pérez, M. E., Berger, W. H., 2000. Late Quaternary productivity fluctuations in the Mid-Angola Basin: Evidence from benthic foraminifera (Poster). Workshop on Quaternary Evolution of the Benguela Upwelling System, 19th-21st May, Carcans, France.
- Petschick, R., Kuhn, G., and Gingele, F., 1996. Clay mineral distribution in surface sediments of the South Atlantic: sources, transport, and relation to oceanography. *Marine Geology* 130, 203-229.

- Petit, J.R., Jouzel, J., Raynaud, D., Barkov, N.I., Barnola, J.-M., Basile, I., Benders, M., Chappellaz, J., Davis, M., Delaygue, G., Delmotte, M., Kotlyakov, V.M., Legrand, M., Lipenkov, V.Y., Lorius, C., Pépin, L., Ritz, C., Saltzman, E., Stievenard, M., 1999. Climate and atmospheric history of the past 420,000 years from the Vostok ice core, Antarctica. *Nature* 399, 429-436.
- Pierce, S., Winter, K., Griffiths, H., 2002. Carbon isotope ratio and the extent of daily CAM use by Bromeliaceae. *New Phytologist* 156, 75-83.
- Poynter, J. G., 1989. Molecular Stratigraphy: The Recognition of Palaeoclimatic Signals in Organic Geochemical Data. Ph.D. thesis, University of Bristol, Bristol.
- Poynter, J., and Eglinton, G., 1991. The biomarker concept - strengths and weaknesses. *Fresenius' Zeitschrift für analytische Chemie* 339, 725-731.
- Poynter, J.G., Farrimond, P., Robinson, N., Eglinton, G., 1989. Aeolian-derived higher plant lipids in the marine sedimentary records: Links with paleoclimate. In: Leinen, M., Sarnthein, M. (Eds.), *Paleoclimatology and Paleometeorology: Modern and Past Patterns of Global Atmospheric Transport*. Kluwer Academy, Norwell, Massachusetts, pp. 435-462.
- Prospero, J. M., Ginoux, P., Torres, O., Nicholson, S., Gill, T., 2002. Environmental characterization of global sources of atmospheric soil dust identified with the NIMBUS 7 Total Ozone Mapping Spectrometer (TOMS) absorbing aerosol product. *Reviews of Geophysics* 40(1), 1002, doi:10.1029/2000RG000095.
- Radke, M., Willsch, H., Welte, D., 1980. Preparative hydrocarbon group type determination by automated medium pressure liquid chromatography. *Analytical Chemistry* 52, 406-411.
- Raghavendra, A.S., Das, V.S.R., 1978. The occurrence of C₄-photosynthesis: A supplementary list of C₄ plants reported during late 1974-mid 1977. *Photosynthetica* 12, 200-208.
- Ray, N., Adams, J.M., 2001. A GIS-based vegetation map of the world at the Last Glacial Maximum (25,000-15,000 BP). *Internet Archaeology* 11, 1-44.
- Reddy, Christopher M., Eglinton, T. I., Palic, R., Benitez-Nelson, B. C., Stojanovic, G., Palic, I., Djordjevic, S., Eglinton, G., 2000. Even carbon number predominance of plant wax *n*-alkanes: a correction. *Organic Geochemistry* 31, 331-336.
- Renvoize, S.A., Clayton, W.D., 1992. Classification and evolution of the grasses. In: Chapman, G.P. (Ed.), *Grass Evolution and Domestication*. University Press, Cambridge, pp. 3-37.
- Riederer, M., Schreiber, L., 1995. Waxes – The transport barriers of plant cuticles. In: Hamilton, R.J. (Ed.), *Waxes: Chemistry, Molecular Biology and Functions*. The Oil Press, Dundee, pp. 131-156.
- Rieley, G., Collier, R.J., Jones, D.M., Eglinton, G., Eakin, P.A., Fallick, A.E., 1991. Sources of sedimentary lipids deduced from stable carbon isotopic analyses of individual compounds. *Nature* 352, 425-427.
- Rieley, G., Collister, J.W., Stern, B., Eglinton, G., 1993. Gas chromatography/isotope ratio mass spectrometry of leaf wax *n*-alkanes from plants of differing carbon dioxide metabolisms. *Rapid Communications in Mass Spectrometry* 7, 488-491.
- Ries, S.K., Wert, V., Sweeley, C.C., Leavitt, R.A., 1977. Triacntanol: A new naturally occurring plant growth regulator. *Science* 195, 1339-1341.
- Rinna, J., Güntner, U., Hinrichs, K.-U., Mangelsdorf, K., van der Smissen, J.H., Rullkötter, J., 2000. Temperature-related molecular proxies: Degree of alkenone unsaturation and average chain length of *n*-alkanes. In: *Proceedings of the 16th Annual Pacific Climate (PACLIM) Workshop* (West G.J., Buffaloe, L., Eds.). Interagency Ecology

- Program, Technical Report, State of California, Department of Water Resources, Sacramento (CA), pp. 183-192.
- Rommerskirchen, F., Eglinton, G., Dupont, L., Güntner, U., Wenzel, C., Rullkötter, J., 2003. A north to south transect of Holocene southeast Atlantic continental margin sediments: Relationship between aerosol transport and compound-specific $\delta^{13}\text{C}$ plant biomarker and pollen records. *Geochemistry, Geophysics, Geosystems* 4 (12), 1101, doi:10.1029/2003GC000541.
- Sackett, W.M., 1989. Stable carbon isotope studies on organic matter in the marine environment. In: Fritz, P., Fontes, J.C. (Eds.), *Handbook of Environmental Isotope Geochemistry*. Elsevier, Amsterdam, pp. 139-169.
- Sage, R.F., 1999. Why C_4 photosynthesis? In: Sage, R.F., Monson, R.K. (Eds.), *C_4 Plant Biology*. Academic Press, London, pp. 3-16.
- Sage, R.F., 2001. C_4 plants. In: Levin, S.A. (Ed.), *Encyclopedia of Biodiversity, Volume 1*. Academic Press, London, pp. 575-598.
- Sage, R. F., 2004. The evolution of C_4 photosynthesis. *New Phytologist* 161, 341-370.
- Sage, R. F., Monson, R. K., 1999. *C_4 Plant Biology*, Academic Press, San Diego.
- Sage, R.F., Li, M.R., Monson, R.K., 1999a. The taxonomic distribution of C_4 photosynthesis. In: Sage, R.F., Monson, R.K. (Eds.), *C_4 Plant Biology*. Academic Press, London, pp. 551-584.
- Sage, R.F., Wedin, D.A., Li, M.R., 1999b. The biogeography of C_4 photosynthesis: Patterns and controlling factors. In: Sage, R.F., Monson, R.K. (Eds.), *C_4 Plant Biology*. Academic Press, London, pp. 313-373.
- Sala, O.E., Austin, A.T., Vivanco, L., 2001. Temperate grassland and shrubland ecosystems. In: Levin, S.A. (Ed.), *Encyclopedia of Biodiversity, Volume 5*, Academic Press, London, pp. 627-635.
- Sauvaire, Y., Tal, B., Heupel, R.C., England, R., Hanners, P.K., Nes, W.D., Mudd, J.B., 1987. A comparison of sterol and long chain fatty alcohol biosynthesis in *Sorghum bicolor*. In: Stumpf, P.K., Mudd, J.B., Nes, W.D. (Eds.), *The Metabolism, Structure, and Function of Plant Lipids*. Plenum Press, New York, pp. 107-110.
- Schefuß, E., Schouten, S., Jansen, J.H.F., Sinninghe Damsté, J.S., 2003a. African vegetation controlled by tropical sea surface temperatures in the mid-Pleistocene period. *Nature* 422, 418-421.
- Schefuß, E., Rathmeyer, V., Stuut, J.-B.W., Jansen, J.H.F., Sinninghe Damsté, J.S., 2003b. Carbon isotope analyses of n -alkanes in dust from the lower atmosphere over the central eastern Atlantic. *Geochimica et Cosmochimica Acta* 67, 1757-1767.
- Schefuß, E., Versteegh, G. J. M., Jansen, J. H., F., Sinninghe Damsté, J. S., 2004. Lipid biomarkers as major source and preservation indicators in SE Atlantic surface sediments. *Deep-Sea Research I* 51, 1199-1228.
- Schefuß, E., Schouten, S., Schneider, R.R., 2005. Climatic controls on central African hydrology during the past 20,000 years. *Nature* 437, 1003-1006.
- Schidlowski, M., 1987. Application of stable carbon isotopes to early biochemical evolution on earth. *Annual Review of Earth and Planetary Sciences* 15, 47-72.
- Schleser, G.H., Jayasekera, R., 1985. $\delta^{13}\text{C}$ -Variations of leaves in forests as an indication of reassimilated CO_2 from the soil. *Oecologia* 65, 536-542.
- Schlesinger, W.H., 1997. *Biogeochemistry*, Academic Press, San Diego.

- Schneider, R., 1991. Spätquartäre Produktivitätsänderungen im östlichen Angola-Becken: Reaktion auf Variationen im Passat-Monsun-Windsystem und in der Advektion des Benguela-Küstenstroms, Dissertation, University of Bremen.
- Schneider, R. R., Müller, P. J., Ruhland, G., 1995. Late Quaternary surface circulation in the east equatorial South Atlantic: evidence from alkenone sea surface temperatures. *Paleoceanography* 10, 197-219.
- Schneider, R.R., Müller, P.J., Ruhland, G., Meinecke, G., Schmidt, H., Wefer, G., 1996. Late Quaternary surface temperatures and productivity in the east-equatorial South Atlantic: response to changes in trade/monsoon wind forcing and surface water advection. In: Wefer, G., Berger, W.H., Siedler, G., Webb, D.J. (Eds.), *The South Atlantic: Present and Past Circulation*, Springer, Berlin, pp. 527-551.
- Schultz, J., 1995. *The Ecozones of the World*. Springer, Heidelberg.
- Schulz, H. D., and cruise participants, 1992. Report and preliminary results of Meteor cruise M20/2 Abidjan - Dakar, 27.12.1991 - 3.2.1992, *Berichte des Fachbereichs Geowissenschaften, Universität Bremen*, 25.
- Schulze, E.-D., Ellis, R., Schulze, W., Trimborn, P., Ziegler, H., 1996. Diversity, metabolic types and $\delta^{13}\text{C}$ carbon isotope ratios in the grass flora of Namibia in relation to growth form, precipitation and habitat conditions. *Oecologia* 106, 352-369.
- Schwark, L., Zink, K., Lechterbeck, J., 2002. Reconstruction of postglacial to early Holocene vegetation history in terrestrial Central Europe via cuticular lipid biomarkers and pollen records from lake sediments. *Geology* 30, 463-466.
- Schwartz, D., Mariotti, A., Glanfranchi, R., Guillet, B., 1986. $^{12}\text{C}/^{13}\text{C}$ ratios of soil organic matter as indicators of vegetation changes in the Congo. *Geoderma* 39, 97-103.
- Scott, L., 1989. Climatic conditions in Southern Africa since the last glacial maximum, inferred from pollen analysis. *Palaeogeography. Palaeoclimatology. Palaeoecology* 70, 345-353.
- Scott, L., 1994. Palynology of Late Pleistocene Hyrax middens, southwestern Cape Province, South Africa: a preliminary report. *Historical Biology* 9, 71-81.
- Scott, L., Marais, E., Brook, G. A., 2004. Fossil Hyrax dung and evidence of Late Pleistocene and Holocene vegetation types in the Namib Desert. *Journal of Quaternary Science* 19, 829-832.
- Sellers, P. J., Randall, D. A., Collatz, G. J., Berry, J. A., Field, C. B., Dazlich, D. A., Zhang, C., Collelo, G. D., Bounoua L., 1996. A revised land surface parameterization (SiB2) for atmospheric GCMs. Part I: Model formulation. *Journal of Climate* 9, 676-705.
- Shackleton, N.J., 1977. Tropical rainforest history and the equatorial Pacific carbonate dissolution cycles. In: Anderson, N.R., Malahoff, A. (Eds.), *The Fate of Fossil Fuel CO₂ in the Oceans*. Plenum Press, New York, pp. 401-428.
- Shackleton, N.J., Hall, M.A., 1984. Oxygen and carbon isotope stratigraphy of deep sea drilling project hole 552A: Plio-Pleistocene glacial history. *Initial Reports of the Deep Sea Drilling Project* 81, 599-609.
- Shannon, L.V., Nelson, G., 1996. The Benguela: large scale features and processes and system variability. In: Wefer, G., Berger, W.H., Siedler, G., Webb, D.J. (Eds.), *The South Atlantic: Present and Past circulation*. Springer, Berlin, pp.162-210.
- Shi, N., Dupont, L. M., Beug, H.-J., Schneider, R., 1998. Vegetation and climate changes during the last 22000 yr in SW Africa - evidence from a high resolution marine palynological record. *Vegetation History and Archaeobotany* 7, 127-140.

- Shi, N., Dupont, L. M., Beug, H.-J., Schneider, R., 2000. Correlation between vegetation in southwestern Africa and oceanic upwelling in the past 21,000 years. *Quaternary Research* 54, 72-80.
- Shi, N., Schneider, R., Beug, H.-J., Dupont, L. M., 2001. Southeast trade wind variations during the last 135 kyr: Evidence from pollen spectra in eastern South Atlantic. *Earth Planetary Science Letters* 187, 311-321.
- Simoneit, B. R. T., 1977. Organic matter in eolian dusts over the Atlantic Ocean. *Marine Chemistry* 5, 443-464.
- Smith, B.N., Epstein, S., 1971. Two categories of $^{13}\text{C}/^{12}\text{C}$ ratios for higher plants. *Plant Physiology* 47, 380-384.
- Smith, R.M., Martin-Smith, M., 1978. Hydrocarbons in leaf waxes of *Saccharum* and related genera. *Phytochemistry* 17, 1293-1296.
- Smith, J.Y.C., Winter, K., 1996. Taxonomic distribution of Crassulacean Acid Metabolism. In: Winter, K., Smith, J.A.C. (Eds.), *Crassulacean Acid Metabolism: Biochemistry, Ecophysiology and Evolution, Ecological Studies, Volume 114*, Springer, New York, pp. 427-436.
- Smith, H.J., Fischer, H., Wahlen, M., Mastroianni, D., Deck, B., 1999. Dual modes of the carbon cycle since the Last Glacial Maximum. *Nature* 400, 248-250.
- Smith, D.G., Mayes, R.W., Raats, J.G., 2001. Effect of species, plant part and season of harvest on *n*-alkane concentrations in the cuticular wax of common rangeland grasses from southern Africa. *Australian Journal of Agriculture Research* 52, 875-882.
- Soderstrom, T.R., 1981. Some evolutionary trends in the Bambusoideae (Poaceae). *Annals of the Missouri Botanical Garden* 68, 15-47.
- Sosef, M. S. M., 1996. Begonias and African rain forest refuges: General aspects and recent progress. In: van der Maesen, L.J.G., van der Burgt, X.M., van Medenbach de Rooy, J.M. (Eds.), *The Biodiversity of African Plants*. Kluwer Academic Press, Dordrecht, pp. 602-611.
- Spencer, R.R., Chapman, W., 1985. Surface wax of coastal Bermuda grass. *Journal of Agricultural and Food Chemistry* 33/4, 654-656.
- Stránský, K., Streibl, M., Sorm, F., 1968. On natural waxes. VII. Lipid hydrocarbons of the alga. *Collection of Czechoslovak Chemical Communications* 33, 416-424.
- Street-Perrott, F.A., Perrott, R.A., 1993. Holocene vegetation, lake levels, and climate of Africa. In: Wright, H.E., Jr. (Ed.) *Global Climates since the Last Glacial Maximum*. University of Minnesota Press, London, pp. 318-356.
- Street-Perrott, F.A., Huang, Y., Perrott, R.A., Eglinton, G., Barker, P., Khelifa, L.B., Harkness, D.D., Olago, D.O., 1997. Impact of lower atmospheric carbon dioxide on tropical mountain ecosystems. *Science* 278, 1422-1426.
- Stute, M., Talma, A. S., 1998. Glacial temperatures and moisture transport regimes reconstructed from noble gases and $\delta^{18}\text{O}$, Stampriet Aquifer, Namibia. *Isotope Techniques in the Study of Environmental Change, Proceedings series, IAEA, Vienna*, pp. 307-318.
- Stuut, J.-B., Prins, M. A., Schneider, R. R., Weltje, G. J., Jansen, J. H. F., Postma, G., 2002. A 300-kyr record of aridity and wind strength in southwestern Africa: inferences from grain-size distributions of sediments on Walvis Ridge, SE Atlantic. *Marine Geology* 180, 221-233.
- Stuut, J.-B., Crosta, X., van der Borg, K., Schneider, R., 2004. Relationship between Antarctic sea ice and southwest African climate during the late Quaternary. *Geology* 32, 909-912.

- Swap, R., Garstang, M., Macko, S.A., Tyson, P.D., Maenhaut, W., Artaxo, P., Kållberg, P., Talbot, R., 1996a. The long-range transport of southern African aerosols to the tropical South Atlantic. *Journal of Geophysical Research* 101, 23,777-23,791.
- Swap, R. J., Garstang, M., Macko, S. A., Tyson, P. D., Kållberg, P., 1996b. Comparisons of biomass burning emissions and biogenic emissions to the tropical South Atlantic. In: Levine, J.S. (Ed.), *Biomass Burning and Global Change*, Vol. 1, MIT Press, Cambridge, MA, pp. 396-401.
- Tajika, E., 1998. Climate change during the last 150 million years: reconstruction from a carbon cycle model. *Earth and Planetary Science Letters* 160, 695-707.
- Takahashi, T., Olafsson, J., Goddard, J.G., Chipman, D.W., Sutherland, S.C., 1993. Seasonal variation of CO₂ and nutrients in the high-latitude surface oceans: a comparative study. *Global Biogeochemical Cycles* 7, 843-878.
- Taub, D.R., 2000. Climate and the US distribution of C₄ grass subfamilies and decarboxylation variants of C₄ photosynthesis. *American Journal of Botany* 87, 1211-1215.
- Taylor, G.H., Teichmüller, M., Davis, A., Diessel, C. F. K., Littke, R., Robert, P., 1998. *Organic Petrology*, Gebrüder Borntraeger, Berlin-Stuttgart.
- Teeri, J. A., Stowe, L. G., 1976. Climatic patterns and the distribution of C₄ grasses in North America. *Oecologia* 23, 1-12.
- Tulloch, A.P., 1973. Composition of leaf surface waxes of *Triticum* species: variation with age and tissue. *Phytochemistry* 12, 2225-2232.
- Tulloch, A.P., 1976. Chemistry of waxes of higher plants. In: Kolattukudy, P.E. (Ed.), *Chemistry and Biochemistry of Natural Waxes*. Elsevier, Amsterdam, pp. 236-289.
- Tulloch, A.P., 1981. Composition of epicuticular waxes from 28 genera of Graminaea: differences between subfamilies. *Canadian Journal of Botany* 59, 1213-1221.
- Tulloch, A.P., 1982. Epicuticular wax of *Eragrostis curvula*. *Phytochemistry* 21, 661-664.
- Tulloch, A.P., 1984. Epicuticular waxes of four eragrostoid grasses. *Phytochemistry* 23, 1619-1623.
- Tulloch, A.P., Hoffmann, L.L., 1976. Epicuticular wax of *Agropyron intermedium*. *Phytochemistry* 15, 1145-1151.
- Tulloch, A.P., Baum, B.R., Hoffman, L.L., 1980. A survey of epicuticular waxes among genera of Triticeae. 2. Chemistry. *Canadian Journal of Botany* 58, 2602-2615.
- Tyson, P. D., Garstang, M., Swap, R., 1996. Large-scale recirculation of air over Southern Africa. *Journal of Applied Meteorology* 35, 2218-2236.
- van Andel, T. H., Heath, G. R., Moore Jr, T. C., 1975. Cenozoic history and paleoceanography of the central equatorial Pacific Ocean. *Geological Society of American Memoir* 143.
- van Bennekom, A. J., Berger, G. W., 1984. Hydrography and silica budget of the Angola basin. *Netherlands Journal of Sea Research* 17, 149-200.
- van der Merwe, J.H., 1983. *National Atlas of South West Africa (Namibia)*. National Book Printers, Capetown.
- van der Merwe, N.J., Medina, E., 1989. Photosynthesis and ¹³C/¹²C ratios in Amazonian rain forests. *Geochimica et Cosmochimica Acta* 53, 1091-1094.
- van Oudtshoorn, F., 1999. *Guide to Grasses of Southern Africa*. Briza Publication, Pretoria.

- Voznesenskaya, E.V., Chuong, S.D.X., Koteyeva, N.K., Edwards, G.E., Franceschi, V.R., 2005. Functional compartmentation of C₄ photosynthesis in the triple layered chlorenchyma of *Aristida* (Poaceae). *Functional Plant Biology* 32, 67-77.
- Vogel, J.C., 1978. Recycling of carbon in a forest environment. *Oecologia Plantarum* 13, 89-94.
- Vogel, J.C., Fuls, A., Ellis, R.P., 1978. The geographical distribution of Kranz grasses in South Africa. *South African Journal of Science* 74, 209-215.
- Wagner, T., 1998. Pliocene-Pleistocene deposition of carbonate and organic carbon at Site 959: Paleoenvironmental implications for the eastern equatorial Atlantic off the Ivory Coast/Ghana. *Proceedings in the Ocean Drilling Program, Ocean Drilling Program College Station, Texas, Scientific Results* 159, 557-574.
- Wagner, T., 1999. Petrology of organic matter in modern and late Quaternary deposits of the equatorial Atlantic: Climatic and oceanographic links. *International Journal of Coal Geology* 39, 155-184.
- Wagner, T., 2000. Control of organic carbon accumulation in the late Quaternary equatorial Atlantic (Ocean Drilling Program Sites 664 and 663): Productivity versus terrigenous supply. *Paleoceanography* 15, 181-199.
- Wagner, T., Dupont, L.M., 1999. Terrestrial organic matter in marine sediments: analytical approaches and eolian-marine records in the central equatorial Atlantic. In: Fischer, G., Wefer, G. (Eds.), *Use of Proxies in Paleoceanography: Examples from the South Atlantic*, Springer, Berlin, pp. 547-574.
- Walker, B.H., Ludwig, D., Holling, C.S., Peterman, R.M., 1981. Stability of semi-arid savanna grazing systems. *Journal of Ecology* 69, 473-498.
- Walker, B.H., Noy-Meir, I., 1982. Aspects of the stability and resilience of savanna ecosystems. In: Huntley, B.J., Walker, B.H. (Eds.), *Ecology of tropical savannas*. Springer, Berlin, pp. 556-590.
- Walter, H., 1971. *Ecology of Tropical and Subtropical Vegetation*. Oliver and Boyd, Edinburgh.
- Walter, H., Lieth, H., 1960-1967. *Klimadiagramm-Weltatlas*, Fischer, Jena.
- Walter, H., Harnickell, E., Mueller-Dombois, D., 1975. *Climate-diagram Maps of the Individual Continents and the Ecological Climatic Regions of the Earth*. Springer, Berlin.
- Wan, C.S.M., Sage, R.F., 2001. Climate and the distribution of C₄ grasses along the Atlantic and Pacific coasts of North America. *Canadian Journal of Botany* 79, 474-486.
- Watson, L., Dallwitz, M.J., 1992a. *The Grass Genera of the World*. University Press, Cambridge.
- Watson, L., Dallwitz, M.J., 1992b onwards. *Grass Genera of the World: Descriptions, Illustrations, Identification and Information Retrieval; Including Synonyms, Morphology, Anatomy, Physiology, Phytochemistry, Cytology, Classification, Pathogens, World and Local Distribution, and References*. <http://biodiversity.uno.edu/delta/>, Version: 18th August 1999.
- Wefer, G., and cruise participants, 1988. Bericht über die METEOR-Fahrt M6/6 Libreville-Las Palmas, 18.2.-23.3.1988, *Berichte des Fachbereichs Geowissenschaften Universität Bremen* 3.
- Wefer, G., Berger, W., Richter, C., and Shipboard Scientific Party, 1998, *Proceedings of the ODP, Initial Reports* 175, Ocean Drilling Program College Station (Texas).

- Wefer, G., Berger, W.H., Richter, C. (Eds.), 2002. Proceedings of the ODP, Scientific Results 175 [CD-ROM], available from Ocean Drilling Program, Texas A&M University, College Station TX 77845-9547, USA.
- Weiss, R.F., 1974. Carbon dioxide in water and seawater: the solubility of a non-ideal gas. *Marine Chemistry* 2, 203-215.
- Werger, M.J.A., Ellis, R.P., 1981. Photosynthetic pathways in the arid regions of South Africa. *Flora* 171, 64-75.
- Werner, P.A., 1991. *Savannah Ecology and Management: Australian Perspectives and Intercontinental Comparisons*. Blackwell Science, London.
- Westerhausen, L., Poynter, J., Eglinton, G., Erlenkeuser, H., Sarnthein, M., 1993. Marine and terrigenous origin of organic matter in modern sediments of the east Atlantic: the $\delta^{13}\text{C}$ and molecular record. *Deep-Sea Research I* 40, 1087-1121.
- White, F., 1983. *The Vegetation of Africa. A descriptive Memoir to Accompany the UNESCO/AETFAT/UNSO Vegetation Map of Africa*. UNESCO, Paris.
- Whitecross, M.I., Armstrong, D.J., 1972. Environmental effects on epicuticular waxes of *Brassica napus* L. *Australian Journal of Botany* 20, 87-95.
- Whitman, J.M., Berger, W.H., 1994. Pliocene-Pleistocene carbon isotopic record, site 586, Ontong Java Plateau. *Scientific Results of the Ocean Drilling Program* 130, 333-348.
- Whittaker, R.H., 1975. *Communities and Ecosystems*. Macmillan, New York.
- Williams, G.J., 1974. Photosynthetic adaptation to temperature in C_3 and C_4 grasses. A possible ecological role in the shortgrass prairie. *Plant Physiology* 54, 709-711.
- Winslow, J.C., Hunt Jr., E.R., Piper, S.C., 2003. The influence of seasonal water availability on global C_3 versus C_4 grassland biomass and its implications for climate change research. *Ecological Modelling* 163, 153-173.
- Youngblood, W.W., Blumer, M., Guillard, R.R.L., Fiore, F., 1971. Saturated and unsaturated hydrocarbons in marine benthic algae. *Marine Biology* 8, 190-201.
- Yunker, M. B., Macdonald, R. W., Velthkamp, D. J., Cretney, W. J., 1995. Terrestrial and marine biomarkers in a seasonally ice-covered Arctic estuary-integration of multivariate and biomarker approaches. *Marine Chemistry* 49, 1-50 *n*-alkane.
- Zhang, Z., Zhao, M., Lu, H., Faiia, A.M., 2003. Lower temperature as the main cause of C_4 plant declines during the glacial periods on the Chinese Loess Plateau. *Earth and Planetary Science Letters* 214, 467-481.
- Zhang, Y., Togamura, Y., Otsuki, K., 2004. Study on the *n*-alkane patterns in some grasses and factors affecting the *n*-alkane patterns. *Journal of Agricultural Science* 142, 469-475.
- Zhang, Z., Zhao, M., Eglinton, G., Lu, H., in press. Leaf wax lipids as paleovegetational and paleoenvironmental proxies for the Chinese Loess Plateau. *Quaternary Science Reviews*.
- Zhao, M., Eglinton, G., Haslett, S.K., Jordan, R.W., Sarnthein, M., Zhang, Z., 2000. Marine and terrestrial biomarker records for the last 35,000 years at ODP site 685C off NW Africa. *Organic Geochemistry* 31, 919-930.
- Zhao, M., Dupont, L., Eglinton, G., Teece, M., 2003. *n*-Alkane and pollen reconstruction of terrestrial climate and vegetation for N.W. Africa over the last 160 kyr. *Organic Geochemistry* 34, 131-143.